


AMENDMENTS TO THE CLAIMS

1. (Previously presented) A compound of general formula I



[I]

wherein R₁ represents hydrogen or a straight, branched and/or cyclic, saturated or unsaturated hydrocarbon radical,

optionally substituted with one or more substituents selected from the group consisting of halogen, hydroxyl, amino, nitro, and cyano;

D represents nitrogen or C-R₂;

E represents nitrogen or C-R₃;

F represents nitrogen or C-R₄;

G represents nitrogen or C-R₅;

R_2 , R_3 , R_4 , and R_5 are the same or different and individually represent hydrogen, halogen, hydroxyl, amino, nitro, carboxy, cyano, alkoxy, alkylthio, alkoxycarbonyl, alkylcarbonyloxy, alkoxycarbonyloxy, alkylcarbonyl, alkoxysulfonyloxy, aminosulfonyl, alkylsulfonylamino, formyl, aminocarbonyl, alkylcarbonylamino, or a straight or branched, saturated or unsaturated hydrocarbon radical, optionally substituted with one or more substituents independently selected from the group consisting of halogen, hydroxyl, amino, nitro, carboxy, cyano, alkoxy, alkylthio, alkoxycarbonyl, alkylcarbonyloxy, alkoxycarbonyloxy, alkylcarbonyl, alkoxysulfonyloxy, aminosulfonyl, alkylsulfonylamino, formyl, aminocarbonyl, and alkylcarbonylamino, or R_2 and R_3 , or R_3 and R_4 , or R_4 and R_5 together with the C atoms to which they are attached form a 5- or 6-membered carbocyclic or heterocyclic ring;

W represents oxygen, sulphur, two hydrogen atoms, $=CH_2$, $=N-O-R_6$ or the group $=N(R_6)$;

R_6 represents hydrogen, cycloalkyl, heterocycloalkyl, heterocycloalkenyl, cycloalkenyl, aryl, heteroaryl, alkenyl, alkynyl, or alkyl;

X represents a radical of the formula $-(CH_2)_i-NH-C(O)-(CH_2)_j-$, $-(CH_2)_k-C(O)-(CH_2)_m-$, $-(CH_2)_n-$, $-(CH_2)_p-CH=CH-(CH_2)_q-$, $-(CH_2)_r-O-(CH_2)_s-$, $-(CH_2)_t-NH-(CH_2)_u-$, $-(CH_2)_w-C(O)-NH-(CH_2)_z-$ where i, j, k, m, p, q, r, s, t, u, w, and z are integers from 0-6, and n is an integer from 1-6, wherein said radicals are optionally substituted by one or more substituents independently selected from the group consisting of R_7 ;

Y represents a radical of the formula $-(CH_2)_i-NH-C(O)-(CH_2)_j-$, $-(CH_2)_k-C(O)-(CH_2)_m-$, $-(CH_2)_n-$, $-(CH_2)_p-CH=CH-(CH_2)_q-$, $-(CH_2)_r-O-(CH_2)_s-$, $-(CH_2)_t-NH-(CH_2)_u-$, $-(CH_2)_w-C(O)-NH-(CH_2)_z-$ where i, j, k, m, n, p, q, r, s, t, u, w, and z are integers from 0-6, wherein said radicals are optionally substituted by one or more substituents independently selected from the group consisting of R₇;

R₇ represents hydrogen, oxo, thioxo, halogen, hydroxyl, amino, imino, nitro, carboxy, carbamoyl, cyano, cycloalkyl, alkyl, aryl, heteroaryl, heterocycloalkyl, heterocycloalkenyl, heterocycloalkyl-heteroaryl, heterocycloalkylcarbonylamino, cycloalkenyl, alkenyl, alkynyl, alkoxy, alkoxyimino, alkylthio, alkoxycarbonyl, alkylcarbonyloxy, alkenylcarbonyloxy, alkoxycarbonyloxy, alkylureido, alkylthioureido, alkylcarbonyl, alkoxysulfonyloxy, aminosulfonyl, alkylsulfonylamino, alkylsulfonyl, arylsulfonyl, formyl, aminocarbonyl, and alkylcarbonylamino, wherein said amino, imino, cycloalkyl, alkyl, aryl, heteroaryl, heterocycloalkyl, heterocycloalkenyl, heterocycloalkyl-heteroaryl, heterocycloalkylcarbonylamino, cycloalkenyl, alkenyl, alkynyl, alkoxy, alkoxyimino, alkylthio, alkoxycarbonyl, alkylcarbonyloxy, alkenylcarbonyloxy, alkoxycarbonyloxy, alkylureido, alkylthioureido, alkylcarbonyl, alkoxysulfonyloxy, aminosulfonyl, alkylsulfonylamino, alkylsulfonyl, arylsulfonyl, aminocarbonyl, and alkylcarbonylamino are optionally substituted by one or more substituents independently selected from the group consisting of hydrogen, halogen, oxo, thioxo, hydroxyl, amino, imino, nitro, carboxy, cyano, alkoxy, alkylthio, alkoxycarbonyl, alkylcarbonyloxy, alkoxycarbonyloxy, alkylcarbonyl, alkoxysulfonyloxy, aminosulfonyl,

alkylsulfonylamino, alkylsulfonyl, arylsulfonyl, aminocarbonyloxy, heteroarylsulfonylamino, formyl, aminocarbonyl, trifluoromethyl, alkylcarbonylamino, heterocycloalkyl, heterocycloalkenyl, aryl, alkylureido, alkylthioureido, heteroaryl, cycloalkyl, alkyl, cycloalkenyl, alkenyl, alkynyl, and alkylaminocarbonyl;

B represents aryl, heteroaryl, heterocycloalkyl, heterocycloalkenyl, cycloalkyl, or cycloalkenyl, all of which are optionally substituted with one or more substituents independently selected from the group consisting of R₈;

R₈ represents hydrogen, halogen, hydroxyl, amino, imino, oxo, thioxo, nitro, carboxy, cyano, alkoxy, phenoxy, alkylthio, alkoxycarbonyl, alkoxycarbamoyl, alkylcarbonyloxy, alkoxycarbonyloxy, alkylcarbonyl, alkoxysulfonyloxy, aminosulfonyl, arylsulfonyl, alkylsulfonylamino, formyl, aminocarbonyl, alkylureido, alkylthioureido, aminocarbonyloxy, alkylcarbonylamino, heterocycloalkylcarbonylamino, heterocycloalkyl, heterocycloalkenyl, aryl, heteroaryl, alkylaminocarbonyl, and a straight or branched, saturated or unsaturated hydrocarbon radical, wherein said amino, alkoxy, phenoxy, alkylthio, alkoxycarbonyl, alkoxycarbamoyl, alkylcarbonyloxy, alkoxycarbonyloxy, alkylcarbonyl, alkoxysulfonyloxy, aminosulfonyl, arylsulfonyl, alkylsulfonylamino, aminocarbonyl, alkylureido, alkylthioureido, aminocarbonyloxy, alkylcarbonylamino, heterocycloalkylcarbonylamino, heterocycloalkyl, heterocycloalkenyl, aryl, heteroaryl, alkylaminocarbonyl, and straight or branched, saturated or unsaturated hydrocarbon radical are optionally substituted with one or more substituents independently selected from the group consisting of R₇;

A represents a straight, branched and/or cyclic, saturated or unsaturated hydrocarbon radical, a heterocycloalkyl, a heterocycloalkenyl, or a heteroaryl, all of which are optionally substituted with one or more substituents independently selected from the group consisting of R₉;

R₉ represents hydrogen, oxo, halogen, trifluoromethyl, hydroxyl, amino, nitro, carboxy, cyano, alkoxy, alkylthio, alkoxycarbonyl, alkylcarbonyloxy, alkoxycarbonyloxy, alkylureido, alkylthioureido, alkylcarbonyl, alkoxysulfonyloxy, aminosulfonyl, arylsulfonyl, alkylsulfonylamino, arylsulfonylamino, heteroarylsulfonylamino, alkylsulfonyl, formyl, aminocarbonyl, alkylcarbonylamino, alkylaminocarbonyl, aminocarbonyloxy, heterocycloalkyl, heterocycloalkenyl, heteroaryl and a straight or branched, saturated or unsaturated hydrocarbon radical, wherein said amino, alkoxy, alkylthio, alkoxycarbonyl, alkylcarbonyloxy, alkoxycarbonyloxy, alkylureido, alkylthioureido, alkylcarbonyl, alkoxysulfonyloxy, aminosulfonyl, arylsulfonyl, alkylsulfonylamino, arylsulfonylamino, heteroarylsulfonylamino, alkylsulfonyl, aminocarbonyl, alkylcarbonylamino, alkylaminocarbonyl, aminocarbonyloxy, heterocycloalkyl, heterocycloalkenyl, heteroaryl and straight or branched, saturated or unsaturated hydrocarbon radical are optionally substituted by one or more substituents independently selected from the group consisting of R₇;

and pharmaceutically acceptable salts, hydrates, or solvates thereof;

provided that the compound is not

N-(2-benzyloxycarbamoylphenyl)-3,5-dinitrobenzamide,
3-chloro-N-(2-methoxycarbamoylphenyl)-4-nitrobenzamide,
4-chloro-N-benzyl-5-sulphamyl-anthranilic acid methoxamide,
4-chloro-N-benzyl-5-sulphamyl-anthranilic acid isopropoxamide,
4-chloro-N-(2-thenyl)-5-sulphamyl-anthranilic acid methoxamide,
2-benzoylamino-N-benzoyloxybenzamide,
6-methoxy-N-(2-methoxycarbamoylphenyl)nicotinamide,
6-methoxy-N-[2-(methoxymethylcarbamoyl)phenyl]nicotinamide,
2-(2-chlorophenyl)-5-trifluoromethyl-2H-pyrazole-3-carboxylic acid (2-chloro-6-
isopropoxycarbamoylphenyl)amide,
2-(3-chloropyridine-2-yl)-5-trifluoromethyl-2H-pyrazole-3-carboxylic acid (2-chloro-6-
isopropoxycarbamoylphenyl)amide,
2-(3-chloropyridine-2-yl)-5-trifluoromethyl-2H-pyrazole-3-carboxylic acid (2-
isopropoxycarbamoyl-6-methylphenyl)amide,
2-(3-chlorophenyl)-5-trifluoromethyl-2H-pyrazole-3-carboxylic acid (2-isopropoxycarbamoyl-6-
methylphenyl)amide,
2-(2-chloro-2-phenylacetyl-amino)-N-methoxybenzamide,
3-chloro-2-(2-chloro-2-phenylacetyl-amino)-N-methoxybenzamide,
3,5-dichloro-2-(2-chloro-2-phenylacetyl-amino)-N-methoxybenzamide,
2-(3-{4-[2-(2,2,2-trifluoroethoxy)phenyl]piperazine-1-yl}propyl-amino)-N-methyl-N-
methoxynicotinamide,
2-[(2-chloro-4-iodophenyl)amino]-4-fluoro-N-(2-hydroxyethoxy)-N-methyl-benzamide,

2-[(2,6-dichloro-3-methylphenyl)amino]-N-methoxy)-N-methyl-benzamide,
N-methoxy-2-[3-((E)-2-pyridin-2-yl-vinyl)-1H-indazol-6-ylamino]-benzamide,
N-isopropoxy-2-[3-((E)-2-pyridin-2-yl-vinyl)-1H-indazol-6-ylamino]-benzamide, or
N-allyloxy-2-[3-((E)-2-pyridin-2-yl-vinyl)-1H-indazol-6-ylamino]-benzamide.

2. (Previously presented) A compound according to claim 1 wherein R₂, R₃, R₄, and R₅ are the same or different and individually represent hydrogen, halogen, hydroxyl, amino, nitro, carboxy, cyano, alkoxy, alkylthio, alkoxycarbonyl, alkylcarbonyloxy, alkoxycarbonyloxy, alkylcarbonyl, alkoxysulfonyloxy, aminosulfonyl, alkylsulfonylamino, formyl, aminocarbonyl, alkylcarbonylamino, or a straight or branched, saturated or unsaturated hydrocarbon radical, optionally substituted with one or more substituents independently selected from the group consisting of halogen, hydroxyl, amino, nitro, carboxy, cyano, alkoxy, alkylthio, alkoxycarbonyl, alkylcarbonyloxy, alkoxycarbonyloxy, alkylcarbonyl, alkoxysulfonyloxy, aminosulfonyl, alkylsulfonylamino, formyl, aminocarbonyl, and alkylcarbonylamino.

3. (Currently amended) A compound according to claim 1 ~~or 2~~ wherein W represents oxygen.

4. (Currently amended) A compound according to ~~any one of claims 1-3~~ claim 1 wherein R₁ represents hydrogen.

5. (Currently amended) A compound according to ~~any one of claims 1-4~~ claim 1 wherein D is C-R₂, E is C-R₃, F is C-R₄, and G is C-R₅.

6. (Currently amended) A compound according to ~~any one of claims 1-5~~ claim 1 wherein R₂, R₃, R₄, and R₅ are hydrogen, chloro, bromo, fluoro, methoxy, or methyl.
7. (Currently amended) A compound according to ~~any one of claims 1-4~~ claim 1 wherein D is nitrogen, E is C-R₃, F is C-R₄, and G is C-R₅.
8. (Currently amended) A compound according to ~~any one of claims 1-7~~ claim 1 wherein R₃, R₄ and R₅ are hydrogen.
9. (Currently amended) A compound according to ~~any one of claims 1-4~~ claim 1 wherein D is C-R₂, E is nitrogen, F is C-R₄, and G is C-R₅.
10. (Currently amended) A compound according to ~~any one of claims 1-6 or 8~~ claim 1 wherein R₂, R₄ and R₅ are hydrogen.
11. (Currently amended) A compound according to ~~any one of claims 1-10~~ claim 1 wherein B represents phenyl or pyridyl, such as 2-pyridyl, 3-pyridyl, or 4-pyridyl, all of which are optionally substituted with one or more substituents independently selected from the group consisting of R₈.

12. (Currently amended) A compound according to ~~any one of claims 1-10~~ claim 1 wherein B represents, naphthyl, 2,3-dihydrobenzofuranyl, benzofuranyl, 2H-chromenyl, thiazolyl, 4,5-dihydro-1H-[1,2,4]-triazolyl, tetrahydropyranyl, 1,6-dihydropyridinyl, imidazolyl, imidazolidinyl, imidazo[2,1-b]thiazolyl, imidazo[1,2-a]pyrimidinyl, 1,2,4-triazolyl, piperidinyl, pyrrolidinyl, 4,5-dihydro-oxazolyl, isoxazolyl, 4,5-dihydro-isoxazolyl, pyrimidinyl, 1-H-pyrazolyl, 1H-indazol-6-yl, quinolinyl or isoquinolinyl, all of which are optionally substituted with one or more substituents independently selected from the group consisting of R₈.

13. (Currently amended) A compound according to ~~any one of claims 1-12~~ claim 1 wherein R₈ is hydrogen, halogen, alkoxy, phenoxy, alkoxycarbonyl, carboxy, aminocarbonyl, cyano, alkyl, oxo, hydroxy, amino, heterocycloalkyl, heterocycloalkenyl, alkylsulfonylamino, alkylsulfonyl, alkylureido, alkylthioureido, alkylcarbonylamino, heterocycloalkylcarbonylamino, or aminocarbonyloxy, wherein said alkoxy, phenoxy, alkoxycarbonyl, alkoxy carbamoyl, aminocarbonyl, alkyl, amino, heterocycloalkyl, alkylsulfonylamino, alkylsulfonyl, alkylureido, alkylthioureido, alkylcarbonylamino, heterocycloalkylcarbonylamino, or aminocarbonyloxy are optionally substituted with one or more substituents independently selected from the group consisting of R₇.

14. (Currently amended) A compound according to ~~any one of claims 1-13~~ claim 1 wherein R₈ is hydrogen, fluoro, chloro, bromo, cyano, carboxy, oxo, -NH₂, hydroxy, methoxy, phenoxy, methoxycarbonyl, ethoxycarbonyl, methoxycarbamoyl, methylaminocarbonyl, pyrrolidinylcarbonylamino, ethylaminocarbonyl, propylaminocarbonyl, butylaminocarbonyl,

methyl, ethyl, propyl, morpholine, pyrrolidinyl, methylsulfonylamino, methylsulfonyl, methylureido, ethylureido, *tert*-butylureido, cyclohexylureido, methylthioureido, isopropylureido, n-propylureido, methylamino, or ethylamino, wherein said methoxy, phenoxy, methoxycarbonyl, ethoxycarbonyl, methoxycarbamoyl, *tert*-butoxycarbonyl, methylaminocarbonyl, pyrrolidinylcarbonylamino, ethylaminocarbonyl, propylaminocarbonyl, butylaminocarbonyl, methyl, ethyl, propyl, morpholine, pyrrolidinyl, methylsulfonylamino, methylsulfonyl, methylureido, ethylureido, *tert*-butylureido, cyclohexylureido, methylthioureido, isopropylureido, n-propylureido, methylamino, or ethylamino are optionally substituted with one or more substituents independently selected from the group consisting of R₇.

15. (Currently amended) A compound according to ~~any one of claims 1-14~~ claim 1 wherein X is -CH₂-, -(CH₂)₂-, -CH(CH₃)-, -C(O)-, -C(O)-CH₂-, -(CH₂)₂-O-CH₂-, or -CH=CH-.

16. (Currently amended) A compound according to ~~any one of claims 1-15~~ claim 1 wherein Y is radical of the formula -(CH₂)_i-NH-C(O)-(CH₂)_j-, where i is an integer from 1-4 and j is 0; or Y is radical of the formula -(CH₂)_n-, where n is an integer from 0-6; or Y is radical of the formula -(CH₂)_p-C(O)-NH-(CH₂)_q, where p is an integer from 0-6 and q is 0; or Y is radical of the formula -(CH₂)_r-O-(CH₂)_s, where r is an integer from 0-6 and s is an integer from 0-1; or Y is radical of the formula -(CH₂)_t-NH-(CH₂)_u-, where t is an integer from 0-4 and u is an integer from 0-1; wherein said radicals are optionally substituted by one or more substituents independently selected from the group consisting of R₇.

17. (Currently amended) A compound according to ~~any one of claims 1-16~~ claim 1 wherein Y is a bond, -CH₂-, -CH₂-CH₂-, -CH(CH₃)-, -CH₂-CH₂-O-, -(CH₂)₂-O-CH₂-, -(CH₂)₃-O-CH₂-, -(CH₂)₃-NH-C(O)-, -(CH₂)₄-NH-C(O)-, -CH₂-CH(OH)-CH₂-O-, -(CH₂)₂-NH-CH₂-, -(CH₂)₄-NH-CH₂-, -CH₂-CH₂-CH₂-, -CH₂-C(O)-, -CH₂-C(O)-NH-, or -CH(CH₂NHSO₂CH₃)-.

18. (Currently amended) A compound according to ~~any one of claims 1-17~~ claim 1 wherein A represents (C₆-C₁₀)aryl, (C₃₋₁₀)heterocycloalkyl, (C₃-C₁₀)cycloalkyl, (C₃-C₆)cycloalkenyl, (C₂-C₅)alkenyl, (C₁-C₆)alkyl, (C₂-C₁₀)heteroaryl, heterocycloalkenyl, or toluyl, all of which are optionally substituted with one or more substituents independently selected from the group consisting of R₉.

19. (Currently amended) A compound according to ~~any one of claims 1-18~~ claim 1 wherein A represents methyl, ethyl, (C₆)aryl, (C₉)aryl, (C₁₀)aryl, (C₁₄)aryl, (C₃)alkyl, (C₄)alkyl, (C₅)alkyl, (C₂)alkenyl, (C₃)alkenyl, (C₄)alkenyl, (C₅)alkenyl, (C₃)cycloalkyl, (C₄)cycloalkyl, (C₅)cycloalkyl, (C₆)cycloalkyl, (C₇)cycloalkyl, (C₈)cycloalkyl, (C₁₀)cycloalkyl, (C₆)cycloalkenyl, (C₃)heteroaryl, (C₄)heteroaryl, (C₅)heteroaryl, (C₆)heteroaryl, (C₇)heteroaryl, (C₉)heteroaryl, (C₄)heterocycloalkyl, (C₅)heterocycloalkyl, (C₃)heterocycloalkenyl, (C₄)heterocycloalkenyl, (C₅)heterocycloalkenyl, or toluyl, all of which are optionally substituted with one or more substituents independently selected from the group consisting of R₉.

20. (Currently amended) A compound according to ~~any one of claims 1-19~~ claim 1 wherein A represents methyl, ethyl, allyl, butenyl, phenyl, thiazolyl, pyridyl, tert-butyl, propyl, pentyl,

isobutyl, benzo[1,3]dioxolyl, indanyl, naphthyl, anthracenyl, thiazolyl, thiophenyl, oxadiazolyl, isoxazolyl, cyclopropyl, cyclobutyl, [1,2,3]triazolyl, cyclopentyl, cyclohexyl, cyclohexenyl, adamantyl, bicyclo[2.2.1]heptenyl, bicyclo[2.2.1]heptyl, bicyclo[4.1.0]heptenyl, cycloheptyl, cyclooctyl, quinolinyl, tetrahydrofuranyl, 4,5-dihydrooxazolyl, or tetrahydropyranyl, all of which are optionally substituted with one or more substituents independently selected from the group consisting of R₉.

21. (Currently amended) A compound according to ~~any one of claims 1-20~~ claim 1 wherein R₉ is hydrogen, nitro, halogen, oxo, cyano, trifluoromethyl, carboxy, alkoxy, alkoxycarbonyl, alkyl, cycloalkyl, alkenyl, alkynyl, alkylthio, heterocycloalkyl, heterocycloalkenyl, heteroaryl, amino, arylsulfonylamino, alkylthioureido, alkylureido, heteroarylsulfonylamino, alkylsulfonylamino, aminocarbonyl, aminocarbonyloxy, aryl, wherein said alkoxycarbonyl, alkyl, cycloalkyl, alkenyl, alkynyl, alkylthio, heterocycloalkyl, heteroaryl, amino, arylsulfonylamino, alkylthioureido, alkylureido, heteroarylsulfonylamino, alkylsulfonylamino, aminocarbonyl, aminocarbonyloxy, or aryl, are optionally substituted by one or more substituents independently selected from the group consisting of R₇.

22. (Currently amended) A compound according to ~~any one of claims 1-21~~ claim 1 wherein R₉ is hydrogen, nitro, fluoro, chloro, bromo, iodo, oxo, cyano, carboxy, ethenyl, ethynyl, propynyl, butynyl, methoxy, aminomethyl, aminoethyl, aminophenyl, morpholine, carbomethoxy, cyano, trifluoromethyl, methyl, tert-butoxy, ethyl, propyl, butyl, pentyl, cyclopentyl, nonenyl, methylsulfanyl, aminocarbonyl-tert-butoxy, methylsulfonylamino, thiazolesulfonylamino,

phenylsulfonylamino, -NH-C(S)-NH₂, -NH-C(O)-NH₂, morpholinyl, ethylaminocarbonyl, thiophene, amino, or phenyl, wherein said ethenyl, ethynyl, propynyl, butynyl, methoxy, ethoxy, aminomethyl, aminoethyl, morpholine, carbomethoxy, cyano, trifluoromethyl, methyl, ethyl, propyl, butyl, pentyl, cyclopentyl, nonenyl, methylsulfanyl, methylsulfonylamino, thiazolesulfonylamino, phenylsulfonylamino, -NH-C(S)-NH₂, -NH-C(O)-NH₂, morpholinyl, ethylaminocarbonyl, thiophene, amino, or phenyl are optionally substituted by one or more substituents independently selected from the group consisting of R₇.

23. (Currently amended) A compound according to ~~any one of claims 1-22~~ claim 1 wherein R₇ is hydrogen, halogen, hydroxy, carboxy, carbamoyl, cyano, oxo, thioxo, aryl, alkyl, alkyl, alkoxy, arylsulfonyl, aminocarbonyl, heterocycloalkyl-heteroaryl, heterocycloalkyl, heteroaryl, heterocycloalkenyl, alkoxycarbonyl, alkoxy, imino, alkoxyimino, alkylcarbonyloxy, alkenylcarbonyloxy, cycloalkyl, or amino, wherein said aryl, alkyl, alkyl, alkoxy, alkoxyimino, arylsulfonyl, aminocarbonyl, heterocycloalkyl-heteroaryl, heterocycloalkyl, heteroaryl, heterocycloalkenyl, alkoxycarbonyl, alkoxy, imino, alkylcarbonyloxy, alkenylcarbonyloxy, cycloalkyl, or amino are optionally substituted by one or more substituents independently selected from the group consisting of halogen, alkenyloxy, hydroxy, cyano, amino, alkylcarbonyloxy, alkylcarbonylamino, alkyl, alkoxy, aryl, or oxo.

24. (Currently amended) A compound according to ~~any one of claims 1-23~~ claim 1, wherein R₇ is hydrogen, hydroxy, amino, -NH₂, diethylamino, cyclohexylamino, *tert*-butylamino, oxo, thioxo, phenyl, pyridyl, acetylamino, fluoro, methyl, ethyl, propyl, butyl, morpholine, methoxy,

tert-butoxy, cyclopropyl, hydroxyethyl, methoxyimino, -NH-phenyl, trifluoroacetyl, acetyl, ethoxy, 2-acetylamino-4-methyl-thiazole, *tert*-butyl, methylpiperazine, 2-hydroxyethylpiperazinyl, methylthiazol, hydroxypyrrolidine, dimethylamino, toluyl, trifluoromethyl, methylamino, pyrrolidine, methoxycarbonyl, ethoxycarbonyl, carboxy, carbamoyl, cyano, methylcarbonyloxy, ethylcarbonyloxy, acryloyloxy, cyclopropyl, or 2,5-dioxoimazolidinyl.

25. (Currently amended) A compound according to ~~any one of claims 1-10~~ claim 1 wherein B represents 4-pyridyl optionally substituted in the 2-position with R₈ or B represents phenyl optionally substituted with up to two R₈, same or different.

26. (Currently amended) A compound according to ~~any one of claims 1-25~~ claim 1 selected from the group consisting of

N-Benzyloxy-2-[(pyridin-4-ylmethyl)-amino]-benzamide (compound 1),
N-(4-Nitro-benzyloxy)-2-[(pyridin-4-ylmethyl)-amino]-benzamide (compound 2),
N-(2-Nitro-benzyloxy)-2-[(pyridin-4-ylmethyl)-amino]-benzamide (compound 3),
2-[(Pyridin-4-ylmethyl)-amino]-N-(3-trifluoromethyl-benzyloxy)-benzamide (compound 4),
2-[(Pyridin-4-ylmethyl)-amino]-N-(2-trifluoromethyl-benzyloxy)-benzamide (compound 5),
N2-[(Pyridin-4-ylmethyl)-amino]-N-(4-trifluoromethyl-benzyloxy)-benzamide (compound 6),
N-(4-Methoxy-benzyloxy)-2-[(pyridin-4-ylmethyl)-amino]-benzamide (compound 7),
N-(3-Methoxy-benzyloxy)-2-[(pyridin-4-ylmethyl)-amino]-benzamide (compound 8),
2-[(pyridin-4-ylmethyl)-amino]-N-(3,4,5-trimethoxy-benzyloxy)-benzamide (compound 9),

N-(4-Chloro-benzyloxy)-2-[(pyridin-4-ylmethyl)-amino]-benzamide (compound 10),
N-(3-Chloro-benzyloxy)-2-[(pyridin-4-ylmethyl)-amino]-benzamide (compound 11),
N-(2-Chloro-benzyloxy)-2-[(pyridin-4-ylmethyl)-amino]-benzamide (compound 12),
N-(2-Bromo-benzyloxy)-2-[(pyridin-4-ylmethyl)-amino]-benzamide (compound 13),
N-(2,4-Dichloro-benzyloxy)-2-[(pyridin-4-ylmethyl)-amino]-benzamide (compound 14),
N-(3,4-Dichloro-benzyloxy)-2-[(pyridine-4-ylmethyl)-amino]-benzamide (compound 15),
N-(2,6-Dichloro-benzyloxy)-2-[(pyridin-4-ylmethyl)-amino]-benzamide (compound 16),
N-(3,5-Dichloro-benzyloxy)-2-[(pyridin-4-ylmethyl)-amino]-benzamide (compound 17),
N-(2,3-Dichloro-benzyloxy)-2-[(pyridin-4-ylmethyl)-amino]-benzamide (compound 18),
N-(2,5-Dichloro-benzyloxy)-2-[(pyridin-4-ylmethyl)-amino]-benzamide (compound 19),
N-(2-Fluoro-benzyloxy)-2-[(pyridin-4-ylmethyl)-amino]-benzamide (compound 20),
N-(3-Fluoro-benzyloxy)-2-[(pyridin-4-ylmethyl)-amino]-benzamide (compound 21),
N-(4-Fluoro-benzyloxy)-2-[(pyridin-4-ylmethyl)-amino]-benzamide (compound 22),
N-(2-Chloro-6-fluoro-benzyloxy)-2-[(pyridin-4-ylmethyl)-amino]-benzamide (compound 23),
N-(2-Chloro-4-fluoro-benzyloxy)-2-[(pyridin-4-ylmethyl)-amino]-benzamide (compound 24),
N-(3-Chloro-2-fluoro-benzyloxy)-2-[(pyridin-4-ylmethyl)-amino]-benzamide (compound 25),
4-{2-[(pyridin-4-ylmethyl)-amino]-benzoylaminooxymethyl}-benzoic acid methyl ester
(compound 26),
N-(4-cyano-benzyloxy)-2-[(pyridin-4-ylmethyl)-amino]-benzamide (compound 27),
2-[(Pyridin-4-ylmethyl)-amino]-N-(quinolin-2-ylmethoxy)-benzamide (compound 28),
N-Phenoxy-2-[(pyridin-4-ylmethyl)-amino]-benzamide (compound 29),
N-(2-Phenoxy-ethoxy)-2-[(pyridin-4-ylmethyl)-amino]-benzamide (compound 30),

N-(3-Phenyl-propoxy)-2-[(pyridin-4-ylmethyl)-amino]-benzamide (compound 31),
N-(2-methyl-thiazol-4-ylmethoxy)-2-[(pyridin-4-ylmethyl)-amino]-benzamide (compound 32),
N-Benzyloxy-2-2-[(pyridin-4-ylmethyl)-amino]-nicotinamide (compound 33),
2-(4-Fluoro-benzylamino)-N-(4-methoxy-benzyloxy)-nicotinamide (compound 34),
2-(4-methoxy-benzylamino)-N-(4-methoxy-benzyloxy)-nicotinamide (compound 35),
N-(4-Cyano-phenoxy)-2-[(pyridin-4-ylmethyl)-amino]-benzamide (compound 36),
N-(4-Bromo-phenoxy)-2-[(pyridin-4-ylmethyl)-amino]-benzamide (compound 37),
N-(4-Fluoro-2,6-dimethyl-benzyloxy)-2-[(pyridin-4-ylmethyl)-amino]-benzamide (compound 38),
N-(4-Fluoro-2-methoxy-benzyloxy)-2-[(pyridin-4-ylmethyl)-amino]-benzamide (compound 39),
N-(2,3-Difluoro-4-methyl-benzyloxy)-2-[(pyridin-4-ylmethyl)-amino]-benzamide (compound 40),
N-(3-Fluoro-4-methyl-benzyloxy)-2-[(pyridin-4-ylmethyl)-amino]-benzamide (compound 41),
N-(5-Fluoro-2-methyl-benzyloxy)-2-[(pyridin-4-ylmethyl)-amino]-benzamide (compound 42),
2-[(Pyridin-4-ylmethyl)-amino]-N-(2,3,5,6-tetrafluoro-4-methoxy-benzyloxy)-benzamide (compound 43),
N-(4-Bromo-benzyloxy)-2-[(pyridin-4-ylmethyl)-amino]-benzamide (compound 44),
N-(2-Iodo-benzyloxy)-2-[(pyridin-4-ylmethyl)-amino]-benzamide (compound 45),
N-(3-Iodo-benzyloxy)-2-[(pyridin-4-ylmethyl)-amino]-benzamide (compound 46),
N-(4-Methyl-benzyloxy)-2-[(pyridin-4-ylmethyl)-amino]-benzamide (compound 47)
N-[2-(3,3-Dimethyl-but-1-enyl)-benzyloxy]-2-[(pyridin-4-ylmethyl)-amino]-benzamide (compound 48),

2-[(Pyridin-4-ylmethyl)-amino]-N-(2-styryl-benzyloxy)-benzamide (compound 49),
N-[3-(3-Hydroxy-prop-1-ynyl)-benzyloxy]-2-[(pyridin-4-ylmethyl)-amino]-benzamide
(compound 50),
N-[3-(5-Cyano-pent-1-ynyl)-benzyloxy]-2-[(pyridin-4-ylmethyl)-amino]-benzamide (compound
51),
N-[2-(3-Hydroxy-prop-1-ynyl)-benzyloxy]-2-[(pyridin-4-ylmethyl)-amino]-benzamide
(compound 52),
Acetic acid 2-[3-(2-{2-[(pyridin-4-ylmethyl)-amino]-benzoylaminooxymethyl}-phenyl)-prop-2-
ynyloxy]-ethyl ester (compound 53),
N-[2-(3-Methyl-3H-imidazol-4-ylethynyl)-benzyloxy]-2-[(pyridin-4-ylmethyl)-amino]-
benzamide (compound 54),
N-[3-(3-Methyl-3H-imidazol-4-ylethynyl)-benzyloxy]-2-[(pyridin-4-ylmethyl)-amino]-
benzamide (compound 55),
N-(2-Cyanomethyl-benzyloxy)-2-[(pyridin-4-ylmethyl)-amino]-benzamide (compound 56),
N-(2-Benzenesulfonylmethyl-benzyloxy)-2-[(pyridin-4-ylmethyl)-amino]-benzamide (compound
57),
N-(4-Hydroxymethyl-benzyloxy)-2-[(pyridin-4-ylmethyl)-amino]-benzamide (compound 58),
N-(4-Fluoro-2-trifluoromethyl-benzyloxy)-2-[(pyridin-4-ylmethyl)-amino]-benzamide
(compound 59),
N-(2-Fluoro-6-trifluoromethyl-benzyloxy)-2-[(pyridin-4-ylmethyl)-amino]-benzamide
(compound 60),

N-(4-Fluoro-3-trifluoromethyl-benzyloxy)-2-[(pyridin-4-ylmethyl)-amino]-benzamide
(compound 61),

N-(4-Methyl-3-trifluoromethyl-benzyloxy)-2-[(pyridin-4-ylmethyl)-amino]-benzamide
(compound 62),

N-(4-Methoxy-3-trifluoromethyl-benzyloxy)-2-[(pyridin-4-ylmethyl)-amino]-benzamide
(compound 63),

N-(2-Methoxy-benzyloxy)-2-[(pyridin-4-ylmethyl)-amino]-benzamide (compound 64),

N-(4-Pentyloxy-benzyloxy)-2-[(pyridin-4-ylmethyl)-amino]-benzamide (compound 65),

2-[(Pyridin-4-ylmethyl)-amino]-N-(2-trifluoromethoxy-benzyloxy)-benzamide (compound 66),

2-[(Pyridin-4-ylmethyl)-amino]-N-(3-trifluoromethoxy-benzyloxy)-benzamide (compound 67),

2-[(Pyridin-4-ylmethyl)-amino]-N-(4-trifluoromethoxy-benzyloxy)-benzamide (compound 68),

N-(2-Difluoromethoxy-benzyloxy)-2-[(pyridin-4-ylmethyl)-amino]-benzamide (compound 69),

2-[(Pyridin-4-ylmethyl)-amino]-N-(2-trifluoromethylsulfanyl-benzyloxy)-benzamide (compound
70),

N-(6-Chloro-benzo[1,3]dioxol-5-ylmethoxy)-2-[(pyridin-4-ylmethyl)-amino]-benzamide
(compound 71),

N-(Benzo[1,3]dioxol-5-ylmethoxy)-2-[(pyridin-4-ylmethyl)-amino]-benzamide (compound 72),

N-(Indan-5-ylmethoxy)-2-[(pyridin-4-ylmethyl)-amino]-benzamide (compound 73),

N-(3-Cyano-benzyloxy)-2-[(pyridin-4-ylmethyl)-amino]-benzamide (compound 74),

N-(2-Cyano-benzyloxy)-2-[(pyridin-4-ylmethyl)-amino]-benzamide (compound 75),

N-(4-Cyano-2-fluoro-benzyloxy)-2-[(pyridin-4-ylmethyl)-amino]-benzamide (compound 76),

N-(3-Bromo-4-cyano-benzyloxy)-2-[(pyridin-4-ylmethyl)-amino]-benzamide (compound 77),

N-(2-Chloro-4-cyano-benzyloxy)-2-[(pyridin-4-ylmethyl)-amino]-benzamide (compound 78),
N-(4-Cyano-2-methoxy-benzyloxy)-2-[(pyridin-4-ylmethyl)-amino]-benzamide (compound 79),
N-(4-Cyano-2-iodo-benzyloxy)-2-[(pyridin-4-ylmethyl)-amino]-benzamide (compound 80),
N-(2-Bromo-5-cyano-benzyloxy)-2-[(pyridin-4-ylmethyl)-amino]-benzamide (compound 81),
N-(4-Cyano-naphthalen-1-ylmethoxy)-2-[(pyridin-4-ylmethyl)-amino]-benzamide (compound 82),
N-(4-Morpholin-4-yl-benzyloxy)-2-[(pyridin-4-ylmethyl)-amino]-benzamide (compound 83),
N-(2-Morpholin-4-yl-benzyloxy)-2-[(pyridin-4-ylmethyl)-amino]-benzamide (compound 84),
N-(2-Amino-benzyloxy)-2-[(pyridin-4-ylmethyl)-amino]-benzamide (compound 85),
N-(2-Benzenesulfonylamino-benzyloxy)-2-[(pyridin-4-ylmethyl)-amino]-benzamide (compound 86),
3-{2-[(Pyridin-4-ylmethyl)-amino]-benzoylaminooxymethyl}-benzoic acid methyl ester (compound 87),
3-{2-[(Pyridin-4-ylmethyl)-amino]-benzoylaminooxymethyl}-benzoic acid (compound 88),
4-{2-[(Pyridin-4-ylmethyl)-amino]-benzoylaminooxymethyl}-benzoic acid (compound 89),
N-[4-(Morpholine-4-carbonyl)-benzyloxy]-2-[(pyridin-4-ylmethyl)-amino]-benzamide (compound 90),
N-{3-[4-(3-Cyano-pyridin-2-yl)-piperazine-1-carbonyl]-benzyloxy}-2-[(pyridin-4-ylmethyl)-amino]-benzamide (compound 91),
N-[3-(4-Methyl-piperazine-1-carbonyl)-benzyloxy]-2-[(pyridin-4-ylmethyl)-amino]-benzamide (compound 92),

N-[3-(Morpholine-4-carbonyl)-benzyloxy]-2-[(pyridin-4-ylmethyl)-amino]-benzamide
(compound 93),

N-[3-(3-Hydroxy-pyrrolidine-1-carbonyl)-benzyloxy]-2-[(pyridin-4-ylmethyl)-amino]-
benzamide (compound 94),

N-[4-(4-Methyl-piperazine-1-carbonyl)-benzyloxy]-2-[(pyridin-4-ylmethyl)-amino]-benzamide
(compound 95),

N-[3-(2-dimethylaminoethylcarbonyl)-benzyloxy]-2-[(pyridin-4-ylmethyl)-amino]-benzamide
(compound 96),

N-[3-(2-pyrrolidin-1-yl-ethylcarbonyl)-benzyloxy]-2-[(pyridin-4-ylmethyl)-amino]-benzamide
(compound 97),

2-[(Pyridin-4-ylmethyl)-amino]-N-(2-thiophen-2-yl-benzyloxy)-benzamide (compound 98),

N-(4'-Methoxy-biphenyl-2-ylmethoxy)-2-[(pyridin-4-ylmethyl)-amino]-benzamide (compound
99),

N-(Naphthalen-1-ylmethoxy)-2-[(pyridin-4-ylmethyl)-amino]-benzamide (compound 100),

N-(1-Phenyl-ethoxy)-2-[(pyridin-4-ylmethyl)-amino]-benzamide (compound 101),

2-[(Pyridin-4-ylmethyl)-amino]-N-[1-(2-trifluoromethyl-phenyl)-ethoxy]-benzamide (compound
102),

N-(Pyridin-2-ylmethoxy)-2-[(pyridin-4-ylmethyl)-amino]-benzamide (compound 103),

N-(2,6-Dichloro-pyridin-4-ylmethoxy)-2-[(pyridin-4-ylmethyl)-amino]-benzamide (compound
104),

2-[(Pyridin-4-ylmethyl)-amino]-N-(thiazol-4-ylmethoxy)-benzamide (compound 105),

N-(2-Chloro-thiazol-5-ylmethoxy)-2-[(pyridin-4-ylmethyl)-amino]-benzamide (compound 106),

N-(2-Phenyl-thiazol-4-ylmethoxy)-2-[(pyridin-4-ylmethyl)-amino]-benzamide (compound 107),
N-(5-Methyl-isoxazol-3-ylmethoxy)-2-[(pyridin-4-ylmethyl)-amino]-benzamide (compound 108),
N-(3,5-Dimethyl-isoxazol-4-ylmethoxy)-2-[(pyridin-4-ylmethyl)-amino]-benzamide (compound 109),
N-(3-Propyl-isoxazol-5-ylmethoxy)-2-[(pyridin-4-ylmethyl)-amino]-benzamide (compound 110),
N-(5-Chloro-thiophen-2-ylmethoxy)-2-[(pyridin-4-ylmethyl)-amino]-benzamide (compound 111),
N-[2-(4-Cyano-phenyl)-ethoxy]-2-[(pyridin-4-ylmethyl)-amino]-benzamide (compound 112),
N-Cyclopentylmethoxy-2-[(pyridin-4-ylmethyl)-amino]-benzamide (compound 113),
N-Cyclopropylmethoxy-2-[(pyridin-4-ylmethyl)-amino]-benzamide (compound 114),
N-Methoxy-2-[(pyridin-4-ylmethyl)-amino]-benzamide (compound 115),
N-(2,2-Dimethyl-propoxy)-2-[(pyridin-4-ylmethyl)-amino]-benzamide (compound 116),
N-(2-Ethyl-butoxy)-2-[(pyridin-4-ylmethyl)-amino]-benzamide (compound 117),
N-(3-Methyl-butoxy)-2-[(pyridin-4-ylmethyl)-amino]-benzamide (compound 118),
N-Cyclobutylmethoxy-2-[(pyridin-4-ylmethyl)-amino]-benzamide (compound 119),
N-Cyclohexylmethoxy-2-[(pyridin-4-ylmethyl)-amino]-benzamide (compound 120),
N-Cycloheptylmethoxy-2-[(pyridin-4-ylmethyl)-amino]-benzamide (compound 121),
N-Cyclooctylmethoxy-2-[(pyridin-4-ylmethyl)-amino]-benzamide (compound 122),
N-(1-Cyclopentyl)-ethoxy)-2-[(pyridin-4-ylmethyl)-amino]-benzamide (compound 123),
N-Cyclohexyloxy-2-[(pyridin-4-ylmethyl)-amino]-benzamide (compound 124),

N-(2-Cyclopropyl-ethoxy)-2-[(pyridin-4-ylmethyl)-amino]-benzamide (compound 125),
N-(2-Cyclopentyl-ethoxy)-2-[(pyridin-4-ylmethyl)-amino]-benzamide (compound 126),
N-(3-Cyclopentyl-propoxy)-2-[(pyridin-4-ylmethyl)-amino]-benzamide (compound 127),
N-(Cyclohex-3-enylmethoxy)-2-[(pyridin-4-ylmethyl)-amino]-benzamide (compound 128),
N-(6-Methyl-cyclohex-3-enylmethoxy)-2-[(pyridin-4-ylmethyl)-amino]-benzamide (compound 129),
N-(trans-4-Hydroxymethyl-cyclohexylmethoxy)-2-[(pyridin-4-ylmethyl)-amino]-benzamide (compound 130),
N-(3-Methoxy-cyclohexylmethoxy)-2-[(pyridin-4-ylmethyl)-amino]-benzamide (compound 131),
N-(Adamantan-1-ylmethoxy)-2-[(pyridin-4-ylmethyl)-amino]-benzamide (compound 132)
N-(Bicyclo[2.2.1]hept-2-ylmethoxy)-2-[(pyridin-4-ylmethyl)-amino]-benzamide (compound 133),
N-(6,6-Dimethyl-bicyclo[3.1.1]hept-2-ylmethoxy)-2-[(pyridin-4-ylmethyl)-amino]-benzamide (compound 134),
2-[(Pyridin-4-ylmethyl)-amino]-N-(tetrahydro-furan-2-ylmethoxy)-benzamide (compound 135),
2-[(Pyridin-4-ylmethyl)-amino]-N-(tetrahydro-furan-3-ylmethoxy)-benzamide (compound 136)
N-(3-Methyl-4,5-dihydro-isoxazol-5-ylmethoxy)-2-[(pyridin-4-ylmethyl)-amino]-benzamide (compound 137),
N-(3-Ethyl-4,5-dihydro-isoxazol-5-ylmethoxy)-2-[(pyridin-4-ylmethyl)-amino]-benzamide (compound 138),

N-(3-Butyl-4,5-dihydro-isoxazol-5-ylmethoxy)-2-[(pyridin-4-ylmethyl)-amino]-benzamide
(compound 139),

2-[(Pyridin-4-ylmethyl)-amino]-N-(tetrahydro-pyran-2-yloxy)-benzamide (compound 140),

2-[(Pyridin-4-ylmethyl)-amino]-N-(tetrahydro-pyran-4-ylmethoxy)-benzamide (compound 141),

2-[(Pyridin-4-ylmethyl)-amino]-N-(tetrahydro-pyran-2-ylmethoxy)-benzamide (compound 142),

4-Fluoro-N-(2-methyl-thiazol-4-ylmethoxy)-2-[(pyridin-4-ylmethyl)-amino]-benzamide
(compound 143),

2-Fluoro-N-(2-methyl-thiazol-4-ylmethoxy)-6-[(pyridin-4-ylmethyl)-amino]-benzamide
(compound 144),

5-Fluoro-N-(2-methyl-thiazol-4-ylmethoxy)-2-[(pyridin-4-ylmethyl)-amino]-benzamide
(compound 145),

3-Methoxy-N-(2-methyl-thiazol-4-ylmethoxy)-2-[(pyridin-4-ylmethyl)-amino]-benzamide
(compound 146),

N-(4-Chloro-benzyloxy)-3-methoxy-2-[(pyridin-4-ylmethyl)-amino]-benzamide (compound
147),

4,5-Dimethoxy-N-(2-methyl-thiazol-4-ylmethoxy)-2-[(pyridin-4-ylmethyl)-amino]-benzamide
(compound 148),

N-Benzyloxy-4,5-dimethoxy-2-[(pyridin-4-ylmethyl)-amino]-benzamide (compound 149),

2-Methyl-N-(2-methyl-thiazol-4-ylmethoxy)-6-[(pyridin-4-ylmethyl)-amino]-benzamide
(compound 150),

N-Benzyloxy-2-methyl-6-[(pyridin-4-ylmethyl)-amino]-benzamide (compound 151),

5-Methyl-N-(2-methyl-thiazol-4-ylmethoxy)-2-[(pyridin-4-ylmethyl)-amino]-benzamide
(compound 152),

N-Benzyloxy-5-methyl-2-[(pyridin-4-ylmethyl)-amino]-benzamide (compound 153),

5-Bromo-N-(4-cyano-2-methoxy-benzyloxy)-2-[(pyridin-4-ylmethyl)-amino]-benzamide
(compound 154).

N-Benzyloxy-5-bromo-2-[(pyridin-4-ylmethyl)-amino]-benzamide (compound 155),

N-(4-Cyano-benzyloxy)-2-[(pyridin-4-ylmethyl)-amino]-nicotinamide (compound 156),

N-(2-Chloro-4-cyano-benzyloxy)-2-[(pyridin-4-ylmethyl)-amino]-nicotinamide (compound
157),

N-(4-Cyano-2-fluoro-benzyloxy)-2-[(pyridin-4-ylmethyl)-amino]-nicotinamide (compound 158).

N-(3-Bromo-4-cyano-benzyloxy)-2-[(pyridin-4-ylmethyl)-amino]-nicotinamide (compound
159),

N-(2-Iodo-benzyloxy)-2-[(pyridin-4-ylmethyl)-amino]-nicotinamide (compound 160),

N-(2-Bromo-benzyloxy)-2-[(pyridin-4-ylmethyl)-amino]-nicotinamide (compound 161),

N-(4-Cyano-2-methoxy-benzyloxy)-2-[(pyridin-4-ylmethyl)-amino]-nicotinamide (compound
162),

N-(2-Methyl-thiazol-4-ylmethoxy)-2-[(pyridin-4-ylmethyl)-amino]-nicotinamide (compound
163),

N-Cyclopentylmethoxy-2-[(pyridin-4-ylmethyl)-amino]-nicotinamide (compound 164),

N-Benzyloxy-2-(4-fluoro-benzylamino)-nicotinamide (compound 165),

N-Benzyloxy-2-(4-chloro-benzylamino)-nicotinamide (compound 166).

N-Benzyloxy-2-(4-methoxy-benzylamino)-nicotinamide (compound 167),

N-(4-Cyano-2-methoxy-benzyloxy)-3-[(pyridin-4-ylmethyl)-amino]-isonicotinamide (compound 169),

N-Benzyloxy-3-[(pyridin-4-ylmethyl)-amino]-isonicotinamide (compound 170),

N-(2-Methyl-thiazol-4-ylmethoxy)-3-[(pyridin-4-ylmethyl)-amino]-isonicotinamide (compound 171).

N-Benzyloxy-2-(4-fluoro-benzylamino)-benzamide (compound 172),

N-(4-Cyano-benzyloxy)-2-(4-fluoro-benzylamino)-benzamide (compound 173).

2-(4-Fluoro-benzylamino)-N-(2-methyl-thiazol-4-ylmethoxy)-benzamide (compound 174),

N-Benzyloxy-2-(3-cyano-4-fluoro-benzylamino)-benzamide (compound 175),

N-(2-Bromo-benzyloxy)-2-(3-cyano-4-fluoro-benzylamino)-benzamide (compound 176),

5-[(2-Benzyloxycarbamoyl-phenylamino)-methyl]-2-fluoro-benzoic acid methyl ester (compound 177),

5-[(2-Cyclopentylmethoxycarbamoyl-phenylamino)-methyl]-2-fluoro-benzoic acid methyl ester (compound 178).

2-Fluoro-5-{[2-(4-fluoro-benzyloxycarbamoyl)-phenylamino]-methyl}-benzoic acid methyl ester (compound 179).

5-{[2-(4-Cyano-benzyloxycarbamoyl)-phenylamino]-methyl}-2-fluoro-benzoic acid methyl ester (compound 180).

5-[(2-Cyclopentylmethoxycarbamoyl-phenylamino)-methyl]-2-fluoro-benzoic acid (compound 181).

2-Fluoro-5-{[2-(4-fluoro-benzyloxycarbamoyl)-phenylamino]-methyl}-benzoic acid (compound 182),

5-[(2-Benzyloxycarbamoyl-phenylamino)-methyl]-2-fluoro-benzoic acid (compound 183).

5-[(2-Benzyloxycarbamoyl-phenylamino)-methyl]-2-fluoro-N-(2-hydroxy-ethyl)-benzamide (compound 184),

5-[(2-Benzyloxycarbamoyl-phenylamino)-methyl]-2-fluoro-N-(3-hydroxy-propyl)-benzamide (compound 185),

5-[(2-Benzyloxycarbamoyl-phenylamino)-methyl]-2-fluoro-N-(4-hydroxy-butyl)-benzamide (compound 186),

5-[(2-Benzyloxycarbamoyl-phenylamino)-methyl]-N-(3-dimethylamino-propyl)-2-fluoro-benzamide (compound 187).

5-[(2-Cyclopentylmethoxycarbamoyl-phenylamino)-methyl]-2-fluoro-N-(3-hydroxy-propyl)-benzamide (compound 188),

N-Cyclopentylmethoxy-2-[4-fluoro-3-(4-methyl-piperazine-1-carbonyl)-benzylamino]-benzamide (compound 189),

N-Cyclopentylmethoxy-2-[4-fluoro-3-(morpholine-4-carbonyl)-benzylamino]-benzamide (compound 190),

N-Benzyloxy-2-(4-methoxy-benzylamino)-benzamide (compound 191),

2-(4-Methoxy-benzylamino)-N-(2-methyl-thiazol-4-ylmethoxy)-benzamide (compound 192),

N-Benzyloxy-2-[(4-methoxy-naphthalen-1-ylmethyl)-amino]-benzamide (compound 193),

N-(4-Cyano-benzyloxy)-2-[(4-methoxy-naphthalen-1-ylmethyl)-amino]-benzamide (compound 194),

2-[(2,3-Dihydro-benzofuran-5-ylmethyl)-amino]-N-(4-fluoro-benzyloxy)-benzamide (compound 195),

N-(4-Cyano-benzyloxy)-2-[(2,3-dihydro-benzofuran-5-ylmethyl)-amino]-benzamide (compound 196),

2-[(Benzofuran-5-ylmethyl)-amino]-N-(4-cyano-benzyloxy)-benzamide (compound 197),

2-[(Benzofuran-5-ylmethyl)-amino]-N-benzyloxy-benzamide (compound 198),

2-[(Benzofuran-5-ylmethyl)-amino]-N-(4-fluoro-benzyloxy)-benzamide (compound 199).

N-(4-Cyano-benzyloxy)-2-[(2-oxo-2H-chromen-6-ylmethyl)-amino]-benzamide (compound 200),

N-(4-Chloro-benzyloxy)-2-(4-cyano-benzylamino)-benzamide (compound 201),

2-[(3,5-Dichloro-pyridin-4-ylmethyl)-amino]-N-(2-methyl-thiazol-4-ylmethoxy)-benzamide (compound 202),

N-Benzyloxy-2-[(3,5-dichloro-pyridin-4-ylmethyl)-amino]-benzamide (compound 203),

2-[(2-Bromo-pyridin-4-ylmethyl)-amino]-N-(4-fluoro-benzyloxy)-benzamide (compound 204),

N-(4-Cyano-2-methoxy-benzyloxy)-2-[(2-hydroxy-pyridin-4-ylmethyl)-amino]-benzamide (compound 205),

2-[(2-Amino-pyridin-4-ylmethyl)-amino]-N-(4-cyano-benzyloxy)-benzamide (compound 206),

N-(4-Fluoro-benzyloxy)-2-[(2-morpholin-4-yl-pyridin-4-ylmethyl)-amino]-benzamide (compound 207),

N-Cyclopentylmethoxy-2-[(2-methanesulfonylamino-pyridin-4-ylmethyl)-amino]-benzamide (compound 208),

N-(4-Cyano-benzyloxy)-2-[(2-methanesulfonylamino-pyridin-4-ylmethyl)-amino]-benzamide (compound 209),

N-(4-Cyano-benzyloxy)-2-{[2-(3-methyl-ureido)-pyridin-4-ylmethyl]-amino}-benzamide
(compound 210),

N-(4-Cyano-2-methoxy-benzyloxy)-2-{[2-(3-methyl-ureido)-pyridin-4-ylmethyl]-amino}-
benzamide (compound 211),

N-Cyclopentylmethoxy-2-{[2-(3-methyl-ureido)-pyridin-4-ylmethyl]-amino}-benzamide
(compound 212),

N-(2,3-Difluoro-4-methyl-benzyloxy)-2-{[2-(3-methyl-ureido)-pyridin-4-ylmethyl]-amino}-
benzamide (compound 213)

[3-(4-{[2-(4-Cyano-benzyloxycarbamoyl)-phenylamino]-methyl}-pyridin-2-yl)-ureido]-acetic
acid ethyl ester (compound 214),

(3-{4-[(2-Cyclopentylmethoxycarbamoyl)-phenylamino]-methyl}-pyridin-2-yl)-ureido)-acetic
acid ethyl ester (compound 215),

[3-(4-{[2-(4-Cyano-benzyloxycarbamoyl)-phenylamino]-methyl}-pyridin-2-yl)-ureido]-acetic
acid (compound 216),

(3-{4-[(2-Cyclopentylmethoxycarbamoyl)-phenylamino]-methyl}-pyridin-2-yl)-ureido)-acetic
acid (compound 217),

2-Methyl-acrylic acid 2-[3-(4-{[2-(4-cyano-benzyloxycarbamoyl)-phenylamino]-methyl}-
pyridin-2-yl)-ureido]-ethyl ester (compound 218),

2-Methyl-acrylic acid 2-(3-{4-[(2-cyclopentylmethoxycarbamoyl)-phenylamino]-methyl}-
pyridin-2-yl)-ureido)-ethyl ester (compound 219),

N-(4-Cyano-benzyloxy)-2-(2-[3-(2-hydroxy-ethyl)-ureido]-pyridin-4-ylmethyl)-amino)-
benzamide (compound 220),

N-Cyclopentylmethoxy-2-({2-[3-(2-hydroxy-ethyl)-ureido]-pyridin-4-ylmethyl}-amino)-benzamide (compound 221),

Acetic acid (4-{[2-(4-cyano-benzyloxycarbamoyl)-phenylamino]-methyl}-pyridin-2-ylcarbamoyl)-methyl ester (compound 222),

Acetic acid {4-[(2-cyclopentylmethoxycarbamoyl)-phenylamino]-methyl}-pyridin-2-ylcarbamoyl}-methyl ester (compound 223),

N-(4-Cyano-benzyloxy)-2-{[2-(2-hydroxy-acetyl-amino)-pyridin-4-ylmethyl]-amino}-benzamide (compound 224),

4-{[2-(4-Cyano-benzyloxycarbamoyl)-phenylamino]-methyl}-pyridin-2-yl)-carbamic acid ethyl ester (compound 225),

N-(4-Cyano-benzyloxy)-2-{[2-(cyclopropanecarbonyl-amino)-pyridin-4-ylmethyl]-amino}-benzamide (compound 226),

N-Cyclopentylmethoxy-2-{[2-(cyclopropanecarbonyl-amino)-pyridin-4-ylmethyl]-amino}-benzamide (compound 227),

N-Cyclopentylmethoxy-2-({2-[2-(2,5-dioxo-imidazolidin-4-yl)-acetyl-amino]-pyridin-4-ylmethyl}-amino)-benzamide (compound 228),

2-[(2-Amino-pyridin-4-ylmethyl)-amino]-N-cyclopentylmethoxy-benzamide (compound 229),

N-Benzyloxy-2-[(quinolin-4-ylmethyl)-amino]-benzamide (compound 230),

N-(4-Cyano-benzyloxy)-2-[(quinolin-4-ylmethyl)-amino]-benzamide (compound 231),

N-(2-Methyl-thiazol-4-ylmethoxy)-2-[(quinolin-4-ylmethyl)-amino]-benzamide (compound 232),

N-Cyclopentylmethoxy-2-[(quinolin-4-ylmethyl)-amino]-benzamide (compound 233),

2-[(Quinolin-4-ylmethyl)-amino]-N-(tetrahydro-pyran-4-ylmethoxy)-benzamide (compound 234),

N-(4-Cyano-2-methoxy-benzyloxy)-2-[(6-methoxy-pyridin-3-ylmethyl)-amino]-benzamide (compound 235),

N-Benzyloxy-2-[(6-methoxy-pyridin-3-ylmethyl)-amino]-benzamide (compound 236),

N-(4-Cyano-benzyloxy)-2-[(6-methoxy-pyridin-3-ylmethyl)-amino]-benzamide (compound 237),

N-Benzyloxy-2-[(thiazol-5-ylmethyl)-amino]-benzamide (compound 238),

N-(2,4-Dichloro-benzyloxy)-2-[(thiazol-5-ylmethyl)-amino]-benzamide (compound 239),

N-(2-Methyl-thiazol-4-ylmethoxy)-2-[(5-oxo-4,5-dihydro-1H-[1,2,4]triazol-3-ylmethyl)-amino]-benzamide (compound 240),

N-Benzyloxy-2-[(5-oxo-4,5-dihydro-1H-[1,2,4]triazol-3-ylmethyl)-amino]-benzamide (compound 241),

N-Benzyloxy-2-(2-imidazol-1-yl-ethylamino)-benzamide (compound 242),

N-Cyclopentylmethoxy-2-(2-imidazol-1-yl-ethylamino)-benzamide (compound 243),

N-(4-Cyano-benzyloxy)-2-(1-pyridin-4-yl-ethylamino)-benzamide (compound 244),

2-{[2-(3-Methyl-ureido)-pyridin-4-ylmethyl]-amino}-N-(tetrahydro-pyran-2-ylmethoxy)-benzamide (compound 245),

N-Cyclopentylmethoxy-2-{[2-(2-methoxy-acetylamino)-pyridin-4-ylmethyl]-amino}-benzamide (compound 246),

N-(4-Cyano-benzyloxy)-2-[(6-oxo-1,6-dihydro-pyridin-3-ylmethyl)-amino]-benzamide (compound 247),

N-Cyclopentylmethoxy-2-[(tetrahydro-pyran-4-ylmethyl)-amino]-benzamide (compound 248),
N-(3-Iodo-4-methyl-benzyloxy)-2-[(pyridin-4-ylmethyl)-amino]-benzamide (compound 250),
N-(4-Ethyl-benzyloxy)-2-[(pyridin-4-ylmethyl)-amino]-benzamide (compound 251),
N-(4-Isopropyl-benzyloxy)-2-[(pyridin-4-ylmethyl)-amino]-benzamide (compound 252),
N-(4-tert-Butyl-benzyloxy)-2-[(pyridin-4-ylmethyl)-amino]-benzamide (compound 253),
N-(2-Ethyl-benzyloxy)-2-[(pyridin-4-ylmethyl)-amino]-benzamide (compound 254),
N-(2-Non-1-enyl-benzyloxy)-2-[(pyridin-4-ylmethyl)-amino]-benzamide (compound 255),
N-(4-Phenylaminomethyl-benzyloxy)-2-[(pyridin-4-ylmethyl)-amino]-benzamide (compound 256),
N-(4-Diethylaminomethyl-benzyloxy)-2-[(pyridin-4-ylmethyl)-amino]-benzamide (compound 257),
N-(2-Carbamoylmethyl-benzyloxy)-2-[(pyridin-4-ylmethyl)-amino]-benzamide (compound 258),
N-[4-Cyano-2-(2-methoxy-ethoxy)-benzyloxy]-2-[(pyridin-4-ylmethyl)-amino]-benzamide (compound 259),
N-(4-Cyanomethyl-2-methoxy-benzyloxy)-2-[(pyridin-4-ylmethyl)-amino]-benzamide (compound 260),
N-(5-Cyano-2-methoxy-benzyloxy)-2-[(pyridin-4-ylmethyl)-amino]-benzamide (compound 261),
2-{2-[(Pyridin-4-ylmethyl)-amino]-benzoylaminooxymethyl}-phenyl)-carbamic acid tert-butyl ester (compound 262),
N-(2-Acetyl-amino-benzyloxy)-2-[(pyridin-4-ylmethyl)-amino]-benzamide (compound 263),

N-(2-Benzoylamino-benzyloxy)-2-[(pyridin-4-ylmethyl)-amino]-benzamide (compound 264),
N-(2-Methanesulfonylamino-benzyloxy)-2-[(pyridin-4-ylmethyl)-amino]-benzamide (compound 265),
N-(4-Acetylamino-benzyloxy)-2-[(pyridin-4-ylmethyl)-amino]-benzamide (compound 266),
N-(Biphenyl-4-ylmethoxy)-2-[(pyridin-4-ylmethyl)-amino]-benzamide (compound 267),
N-(Biphenyl-2-ylmethoxy)-2-[(pyridin-4-ylmethyl)-amino]-benzamide (compound 268),
N-(3'-Methoxy-biphenyl-2-ylmethoxy)-2-[(pyridin-4-ylmethyl)-amino]-benzamide (compound 269),
N-(2'-Methoxy-biphenyl-2-ylmethoxy)-2-[(pyridin-4-ylmethyl)-amino]-benzamide (compound 270),
N-(3'-Hydroxymethyl-biphenyl-2-ylmethoxy)-2-[(pyridin-4-ylmethyl)-amino]-benzamide (compound 271),
N-(3-Phenoxy-benzyloxy)-2-[(pyridin-4-ylmethyl)-amino]-benzamide (compound 272),
N-(Anthracen-9-ylmethoxy)-2-[(pyridin-4-ylmethyl)-amino]-benzamide (compound 273),
N-[4-(2-Methyl-thiazol-4-yl)-benzyloxy]-2-[(pyridin-4-ylmethyl)-amino]-benzamide (compound 274),
N-(2-Methanesulfonylamino-1-phenyl-ethoxy)-2-[(pyridin-4-ylmethyl)-amino]-benzamide (compound 275),
2-[(Pyridin-4-ylmethyl)-amino]-N-[2-(4-trifluoromethyl-phenyl)-thiazol-4-ylmethoxy]-benzamide (compound 276),
2-[(Pyridin-4-ylmethyl)-amino]-N-(3-p-tolyl-isoxazol-5-ylmethoxy)-benzamide (compound 277),

N-(3-Methyl-isoxazol-5-ylmethoxy)-2-[(pyridin-4-ylmethyl)-amino]-benzamide (compound 278),

N-(3-Ethyl-isoxazol-5-ylmethoxy)-2-[(pyridin-4-ylmethyl)-amino]-benzamide (compound 279),

N-(3-Butyl-isoxazol-5-ylmethoxy)-2-[(pyridin-4-ylmethyl)-amino]-benzamide (compound 280),

N-(3-Pentyl-isoxazol-5-ylmethoxy)-2-[(pyridin-4-ylmethyl)-amino]-benzamide (compound 281),

2-[(Pyridin-4-ylmethyl)-amino]-N-[5-(3-trifluoromethyl-phenyl)-[1,2,4]oxadiazol-3-ylmethoxy]-benzamide (compound 282),

N-(1-Benzyl-1H-[1,2,3]triazol-4-ylmethoxy)-2-[(pyridin-4-ylmethyl)-amino]-benzamide (compound 283),

N-(1-Cyclopentyl-1H-[1,2,3]triazol-4-ylmethoxy)-2-[(pyridin-4-ylmethyl)-amino]-benzamide (compound 284),

N-(5-Oxo-4,5-dihydro-1H-[1,2,4]triazol-3-ylmethoxy)-2-[(pyridin-4-ylmethyl)-amino]-benzamide (compound 285),

N-(3-Phenoxy-propoxy)-2-[(pyridin-4-ylmethyl)-amino]-benzamide (compound 286),

N-(3-Benzyloxy-propoxy)-2-[(pyridin-4-ylmethyl)-amino]-benzamide (compound 287),

N-(2-Benzyloxy-ethoxy)-2-[(pyridin-4-ylmethyl)-amino]-benzamide (compound 288),

N-[2-Hydroxy-3-(4-methoxy-phenoxy)-propoxy]-2-[(pyridin-4-ylmethyl)-amino]-benzamide (compound 289),

N-(3-Benzoylamino-propoxy)-2-[(pyridin-4-ylmethyl)-amino]-benzamide (compound 290),

N-(4-Benzoylamino-butoxy)-2-[(pyridin-4-ylmethyl)-amino]-benzamide (compound 291),

N-(2-Methanesulfonylamino-ethoxy)-2-[(pyridin-4-ylmethyl)-amino]-benzamide (compound 292),

N-(4-Benzenesulfonylamino-butoxy)-2-[(pyridin-4-ylmethyl)-amino]-benzamide (compound 293),

N-(3-Benzenesulfonylamino-propoxy)-2-[(pyridin-4-ylmethyl)-amino]-benzamide (compound 294),

N-[2-(4-Cyano-benzenesulfonylamino)-ethoxy]-2-[(pyridin-4-ylmethyl)-amino]-benzamide (compound 295),

N-[3-(4-Cyano-benzenesulfonylamino)-propoxy]-2-[(pyridin-4-ylmethyl)-amino]-benzamide (compound 296),

N-(3-Phenylmethanesulfonylamino-propoxy)-2-[(pyridin-4-ylmethyl)-amino]-benzamide (compound 297),

N-(2-Phenylmethanesulfonylamino-ethoxy)-2-[(pyridin-4-ylmethyl)-amino]-benzamide (compound 298),

N-[3-(2-Acetylamino-4-methyl-thiazole-5-sulfonylamino)-propoxy]-2-[(pyridin-4-ylmethyl)-amino]-benzamide (compound 299),

N-[2-(2-Acetylamino-4-methyl-thiazole-5-sulfonylamino)-ethoxy]-2-[(pyridin-4-ylmethyl)-amino]-benzamide (compound 300),

N-(2-Benzylamino-ethoxy)-2-[(pyridin-4-ylmethyl)-amino]-benzamide (compound 301),

N-(4-Benzylamino-butoxy)-2-[(pyridin-4-ylmethyl)-amino]-benzamide (compound 302),
(2-{2-[(Pyridin-4-ylmethyl)-amino]-benzoylaminooxy}-ethyl)-carbamic acid tert-butyl ester (compound 303),

(3-{2-[(Pyridin-4-ylmethyl)-amino]-benzoylaminooxy}-propyl)-carbamic acid tert-butyl ester (compound 304),

(4-{2-[(Pyridin-4-ylmethyl)-amino]-benzoylaminoxy}-butyl)-carbamic acid tert-butyl ester (compound 305),

N-[2-(3-Phenyl-thioureido)-ethoxy]-2-[(pyridin-4-ylmethyl)-amino]-benzamide (compound 306),

N-[4-(3-Phenyl-thioureido)-butoxy]-2-[(pyridin-4-ylmethyl)-amino]-benzamide (compound 307),

N-[2-(3-Phenyl-ureido)-ethoxy]-2-[(pyridin-4-ylmethyl)-amino]-benzamide (compound 308),

N-[3-(3-Phenyl-ureido)-propoxy]-2-[(pyridin-4-ylmethyl)-amino]-benzamide (compound 309),

N-[4-(3-Phenyl-ureido)-butoxy]-2-[(pyridin-4-ylmethyl)-amino]-benzamide (compound 310),

N-(2-Amino-ethoxy)-2-[(pyridin-4-ylmethyl)-amino]-benzamide (compound 311),

N-(3-Amino-propoxy)-2-[(pyridin-4-ylmethyl)-amino]-benzamide (compound 312),

N-(4-Amino-butoxy)-2-[(pyridin-4-ylmethyl)-amino]-benzamide (compound 313),

N-(2-Morpholin-4-yl-2-oxo-ethoxy)-2-[(pyridin-4-ylmethyl)-amino]-benzamide (compound 314),

N-[(2-Methoxy-phenylcarbamoyl)-methoxy]-2-[(pyridin-4-ylmethyl)-amino]-benzamide (compound 315),

N-tert-Butoxy-2-[(pyridin-4-ylmethyl)-amino]-benzamide (compound 316),

N-Isobutoxy-2-[(pyridin-4-ylmethyl)-amino]-benzamide (compound 317),

N-(2-Methyl-allyloxy)-2-[(pyridin-4-ylmethyl)-amino]-benzamide (compound 318),

N-(3-Methyl-but-2-enyloxy)-2-[(pyridin-4-ylmethyl)-amino]-benzamide (compound 319),

N-(4-Hydroxy-pent-2-enyloxy)-2-[(pyridin-4-ylmethyl)-amino]-benzamide (compound 320),

N-Cyclopentyloxy-2-[(pyridin-4-ylmethyl)-amino]-benzamide (compound 321),

N-Cyclooctyloxy-2-[(pyridin-4-ylmethyl)-amino]-benzamide (compound 322),
N-(2-Cyclohexyl-ethoxy)-2-[(pyridin-4-ylmethyl)-amino]-benzamide (compound 323),
N-(2-Methyl-cyclohexylmethoxy)-2-[(pyridin-4-ylmethyl)-amino]-benzamide (compound 324),
N-(4-Methyl-cyclohexylmethoxy)-2-[(pyridin-4-ylmethyl)-amino]-benzamide (compound 325),
N-(4-Methoxy-cyclohexylmethoxy)-2-[(pyridin-4-ylmethyl)-amino]-benzamide (compound 326),
N-(3-Methyl-bicyclo[2.2.1]hept-2-ylmethoxy)-2-[(pyridin-4-ylmethyl)-amino]-benzamide (compound 327),
N-(Bicyclo[2.2.1]hept-5-en-2-ylmethoxy)-2-[(pyridin-4-ylmethyl)-amino]-benzamide (compound 328),
Benzyl-(2-{2-[(pyridin-4-ylmethyl)-amino]-benzoylaminooxymethyl}-cyclohexyl)-carbamic acid tert-butyl ester (compound 329),
N-(2-Benzylamino-cyclohexylmethoxy)-2-[(pyridin-4-ylmethyl)-amino]-benzamide (compound 330),
N-(3-Propyl-4,5-dihydro-isoxazol-5-ylmethoxy)-2-[(pyridin-4-ylmethyl)-amino]-benzamide (compound 331),
N-(3-Pentyl-4,5-dihydro-isoxazol-5-ylmethoxy)-2-[(pyridin-4-ylmethyl)-amino]-benzamide (compound 332),
4-Methyl-N-(2-methyl-thiazol-4-ylmethoxy)-2-[(pyridin-4-ylmethyl)-amino]-benzamide (compound 333),
N-(5-Cyano-2-methoxy-benzyloxy)-2-[(pyridin-4-ylmethyl)-amino]-nicotinamide (compound 334),

2-Benzylamino-N-benzyloxy-nicotinamide (compound 335),
2-Benzylamino-N-(4-methoxy-benzyloxy)-nicotinamide (compound 336),
N-Benzyloxy-2-(2-chloro-benzylamino)-nicotinamide (compound 337),
2-(2-Chloro-benzylamino)-N-(4-methoxy-benzyloxy)-nicotinamide (compound 338),
N-Benzyloxy-2-(2,4-dichloro-benzylamino)-nicotinamide (compound 339),
2-(3,5-Dichloro-benzylamino)-N-(4-methoxy-benzyloxy)-nicotinamide (compound 340),
N-Benzyloxy-2-(2-methoxy-benzylamino)-nicotinamide (compound 341),
2-(2-Methoxy-benzylamino)-N-(4-methoxy-benzyloxy)-nicotinamide (compound 342),
N-Benzyloxy-2-(2-pyridin-4-yl-ethylamino)-nicotinamide (compound 343),
4-{{3-(4-Methoxy-benzyloxycarbonyl)-pyridin-2-ylamino}-methyl}-piperidine-1-carboxylic acid tert-butyl ester (compound 345),
N-Benzyloxy-5-[(2-benzyloxycarbonyl-phenylamino)-methyl]-2-fluoro-benzamide (compound 346),
N-(2-Bromo-benzyloxy)-2-(3-cyano-4-methoxy-benzylamino)-benzamide (compound 347),
N-(2-Bromo-benzyloxy)-2-(4-methanesulfonyl-benzylamino)-benzamide (compound 348),
2-[4-(Methoxyimino-methyl)-benzylamino]-N-(2-methyl-thiazol-4-ylmethoxy)-benzamide (compound 349),
N-(2-Bromo-benzyloxy)-2-[(2,6-dichloro-pyridin-4-ylmethyl)-amino]-benzamide (compound 350),
N-Benzyloxy-2-[(pyridin-3-ylmethyl)-amino]-benzamide (compound 351),
N-(2-Methyl-thiazol-4-ylmethoxy)-2-[(pyridin-3-ylmethyl)-amino]-benzamide (compound 352),
N-(2-Methyl-thiazol-4-ylmethoxy)-2-[(pyridin-2-ylmethyl)-amino]-benzamide (compound 353),

N-Benzyloxy-2-[(pyridin-2-ylmethyl)-amino]-benzamide (compound 354),
N-Benzyloxy-2-[(3-bromo-pyridin-2-ylmethyl)-amino]-benzamide (compound 355),
2-[(3-Bromo-pyridin-2-ylmethyl)-amino]-N-(2-methyl-thiazol-4-ylmethoxy)-benzamide
(compound 356),
N-(2,4-Dichloro-benzyloxy)-2-[(2,6-dimethoxy-pyrimidin-4-ylmethyl)-amino]-benzamide
(compound 357),
N-Benzyloxy-2-[(1,3,5-trimethyl-1H-pyrazol-4-ylmethyl)-amino]-benzamide (compound 358),
N-(2,4-Dichloro-benzyl)-2-[(1,3,5-trimethyl-1H-pyrazol-4-ylmethyl)-amino]-benzamide
(compound 359),
N-Benzyloxy-2-[(1-methyl-1H-imidazol-2-ylmethyl)-amino]-benzamide (compound 360),
2-[(1-Methyl-1H-imidazol-2-ylmethyl)-amino]-N-(2-methyl-thiazol-4-ylmethoxy)-benzamide
(compound 361),
N-Benzyloxy-2-[(3-methyl-3H-imidazol-4-ylmethyl)-amino]-benzamide (compound 362),
2-[(3-Methyl-3H-imidazol-4-ylmethyl)-amino]-N-(2-methyl-thiazol-4-ylmethoxy)-benzamide
(compound 363),
N-Benzyloxy-2-[(5-methyl-3H-imidazol-4-ylmethyl)-amino]-benzamide (compound 364),
2-[(5-Methyl-3H-imidazol-4-ylmethyl)-amino]-N-(2-methyl-thiazol-4-ylmethoxy)-benzamide
(compound 365),
2-[(2-Ethyl-3H-imidazol-4-ylmethyl)-amino]-N-(2-methyl-thiazol-4-ylmethoxy)-benzamide
(compound 366),
N-Benzyloxy-2-[(2-ethyl-3H-imidazol-4-ylmethyl)-amino]-benzamide (compound 367),

N-(2,5-Dichloro-benzyloxy)-2-[(5-oxo-pyrrolidin-2-ylmethyl)-amino]-benzamide (compound 368),

N-Benzyloxy-2-[(3-ethyl-4,5-dihydro-isoxazol-5-ylmethyl)-amino]-benzamide (compound 369),

N-Benzyloxy-2-[(3-propyl-4,5-dihydro-isoxazol-5-ylmethyl)-amino]-benzamide (compound 370),

5-[(2-Benzyloxycarbamoyl-phenylamino)-methyl]-3-methyl-4,5-dihydro-isoxazole-5-carboxylic acid ethyl ester (compound 371),

5-[(2-Benzyloxycarbamoyl-phenylamino)-methyl]-3-ethyl-4,5-dihydro-isoxazole-5-carboxylic acid ethyl ester (compound 372),

5-[(2-Benzyloxycarbamoyl-phenylamino)-methyl]-3-propyl-4,5-dihydro-isoxazole-5-carboxylic acid ethyl ester (compound 373),

N-(4-Cyano-benzyloxy)-2-[(3-methyl-4,5-dihydro-isoxazol-5-ylmethyl)-amino]-benzamide (compound 374),

N-(4-Cyano-benzyloxy)-2-[(3-ethyl-4,5-dihydro-isoxazol-5-ylmethyl)-amino]-benzamide (compound 375),

N-(4-Cyano-benzyloxy)-2-[(3-propyl-4,5-dihydro-isoxazol-5-ylmethyl)-amino]-benzamide (compound 376),

5-{[2-(4-Cyano-benzyloxycarbamoyl)-phenylamino]-methyl}-3-methyl-4,5-dihydro-isoxazole-5-carboxylic acid ethyl ester (compound 377),

5-{[2-(4-Cyano-benzyloxycarbamoyl)-phenylamino]-methyl}-3-ethyl-4,5-dihydro-isoxazole-5-carboxylic acid ethyl ester (compound 378),

5- {[2-(4-Cyano-benzyloxy)carbonyl]-phenylamino]-methyl}-3-propyl-4,5-dihydro-isoxazole-5-carboxylic acid ethyl ester (compound 379),

N-(4-Cyano-benzyloxy)-2-[(3-methyl-isoxazol-5-ylmethyl)-amino]-benzamide (compound 380),

N-(4-Cyano-benzyloxy)-2-[(3-ethyl-isoxazol-5-ylmethyl)-amino]-benzamide (compound 381),

N-(4-Cyano-benzyloxy)-2-[(3-propyl-isoxazol-5-ylmethyl)-amino]-benzamide (compound 382),

N-(4-Cyano-benzyloxy)-2-[(3,5-dimethyl-4,5-dihydro-isoxazol-5-ylmethyl)-amino]-benzamide (compound 383),

N-(4-Cyano-benzyloxy)-2-[(3-ethyl-5-methyl-4,5-dihydro-isoxazol-5-ylmethyl)-amino]-benzamide (compound 384),

N-(4-Cyano-benzyloxy)-2-[(5-methyl-3-propyl-4,5-dihydro-isoxazol-5-ylmethyl)-amino]-benzamide (compound 385),

N-Benzyloxy-2-[(3-methyl-4,5-dihydro-isoxazol-5-ylmethyl)-amino]-benzamide (compound 386),

N-(4-Cyano-benzyloxy)-2-[2-(3-methyl-4,5-dihydro-isoxazol-5-yl)-ethylamino]-benzamide (compound 387),

N-Cyclopentylmethoxy-2-[2-(3-methyl-4,5-dihydro-isoxazol-5-yl)-ethylamino]-benzamide (compound 388),

N-(4-Cyano-benzyloxy)-2-[2-(3-ethyl-4,5-dihydro-isoxazol-5-yl)-ethylamino]-benzamide (compound 389),

N-Cyclopentylmethoxy-2-[2-(3-ethyl-4,5-dihydro-isoxazol-5-yl)-ethylamino]-benzamide (compound 390),

N-(4-Cyano-benzyloxy)-2-[2-(3-propyl-4,5-dihydro-isoxazol-5-yl)-ethylamino]-benzamide
(compound 391),

N-Cyclopentylmethoxy-2-[2-(3-propyl-4,5-dihydro-isoxazol-5-yl)-ethylamino]-benzamide
(compound 392),

N-Benzyloxy-2-[2-(2,4-dioxo-imidazolidin-1-yl)-ethylamino]-benzamide (compound 393),

N-Benzyloxy-2-[(6-chloro-imidazo[2,1-b]thiazol-5-ylmethyl)-amino]-benzamide (compound
395),

N-Benzyloxy-2-[(2-methyl-imidazo[1,2-a]pyrimidin-3-ylmethyl)-amino]-benzamide (compound
396),

N-Benzyloxy-2-(2-benzyloxy-ethylamino)-benzamide (compound 397),

N-(2-Benzyloxycarbamoyl-phenyl)-isonicotinamide (compound 398),

N-Benzyloxy-2-(2-pyridin-4-yl-acetylamino)-benzamide (compound 399),

N-Benzyloxy-N-methyl-2-[(pyridin-4-ylmethyl)-amino]-benzamide (compound 400),

N-(5-Oxo-pyrrolidin-2-ylmethoxy)-2-[(pyridin-4-ylmethyl)-amino]-benzamide (compound 402),

4-{2-[(Pyridin-4-ylmethyl)-amino]-benzoylaminooxymethyl}-piperidine-1-carboxylic acid tert-
butyl ester (compound 403),

N-Cyclopentylmethoxy-2-{[6-(cyclopropanecarbonyl-amino)-pyridin-3-ylmethyl]-amino}-
benzamide (compound 404),

N-Cyclopentylmethoxy-2-[(6-pyrrolidin-1-yl-pyridin-3-ylmethyl)-amino]-benzamide (compound
405),

2-[(6-Amino-pyridin-3-ylmethyl)-amino]-N-(4-cyano-benzyloxy)-benzamide (compound 406),

N-(4-Cyano-benzyloxy)-2-[(6-pyrrolidin-1-yl-pyridin-3-ylmethyl)-amino]-benzamide

(compound 407),

N-Cyclopentylmethoxy-2-{[2-(cyclopropanecarbonyl-amino)-4-methyl-thiazol-5-ylmethyl]-amino}-benzamide (compound 408),

2-[(6-Amino-pyridin-3-ylmethyl)-amino]-N-cyclopentylmethoxy-benzamide (compound 409),

N-[3-(2,2-Dibromo-vinyl)-cyclopentylmethoxy]-2-[(pyridin-4-ylmethyl)-amino]-benzamide (compound 410),

N-(3-Hydroxymethyl-cyclopentylmethoxy)-2-[(pyridin-4-ylmethyl)-amino]-benzamide (compound 411),

N-(2-Hydroxymethyl-cyclohexylmethoxy)-2-[(pyridin-4-ylmethyl)-amino]-benzamide (compound 412),

N-[4-(4-Methyl-piperazin-1-ylmethyl)-benzyloxy]-2-[(pyridin-4-ylmethyl)-amino]-benzamide (compound 413),

N-{4-[4-(2-Hydroxy-ethyl)-piperazin-1-ylmethyl]-benzyloxy}-2-[(pyridin-4-ylmethyl)-amino]-benzamide (compound 414),

N-(4-Cyano-benzyloxy)-2-{[2-(3-isopropyl-ureido)-pyridin-4-ylmethyl]-amino}-benzamide (compound 415),

N-(4-Cyano-benzyloxy)-2-{[2-(3-ethyl-ureido)-pyridin-4-ylmethyl]-amino}-benzamide (compound 416),

N-Cyclopentylmethoxy-2-{[2-(3-isopropyl-ureido)-pyridin-4-ylmethyl]-amino}-benzamide (compound 417),

N-Cyclopentylmethoxy-2- {[2-(3-propyl-ureido)-pyridin-4-ylmethyl]-amino} -benzamide
(compound 418),

N-Cyclopentylmethoxy-2- {[2-(3-ethyl-ureido)-pyridin-4-ylmethyl]-amino} -benzamide
(compound 419),

N-(3-Hydroxy-cyclopentylmethoxy)-2-[(pyridin-4-ylmethyl)-amino]-benzamide (compound
420),

N-Cyclopentylmethoxy-2- {[2-(3-methyl-thioureido)-pyridin-4-ylmethyl]-amino} -benzamide
(compound 421),

2- {[2-(3-tert-Butyl-ureido)-pyridin-4-ylmethyl]-amino} -N-cyclopentylmethoxy-benzamide
(compound 422),

N-(4-Cyano-benzyloxy)-2- {[2-(3-cyclohexyl-ureido)-pyridin-4-ylmethyl]-amino} -benzamide
(compound 423),

2- {[2-(3-Cyclohexyl-ureido)-pyridin-4-ylmethyl]-amino} -N-cyclopentylmethoxy-benzamide
(compound 424),

N- {4-[(2-Cyclopentylmethoxycarbamoyl-phenylamino)-methyl]-pyridin-2-yl} -isonicotinamide
(compound 425),

1-(2,2,2-Trifluoro-acetyl)-pyrrolidine-2-carboxylic acid {4-[(2-cyclopentylmethoxycarbamoyl-
phenylamino)-methyl]-pyridin-2-yl} -amide (compound 426),

1-(2,2,2-Trifluoro-acetyl)-pyrrolidine-2-carboxylic acid (4- {[2-(4-cyano-benzyloxycarbamoyl)-
phenylamino]-methyl} -pyridin-2-yl)-amide (compound 427),

1-Acetyl-piperidine-4-carboxylic acid {4-[(2-cyclopentylmethoxycarbamoyl-phenylamino)-
methyl]-pyridin-2-yl} -amide (compound 428),

1-Acetyl-piperidine-4-carboxylic acid (4-{[2-(4-cyano-benzyloxycarbamoyl)-phenylamino]-methyl}-pyridin-2-yl)-amide (compound 429),

N-Cyclopentylmethoxy-2-[(2,4-dihydroxy-pyrimidin-5-ylmethyl)-amino]-benzamide (compound 430),

Pyrrolidine-2-carboxylic acid (4-{[2-(4-cyano-benzyloxycarbamoyl)-phenylamino]-methyl}-pyridin-2-yl)-amide (compound 431),

Pyrrolidine-2-carboxylic acid {4-[(2-cyclopentylmethoxycarbamoyl-phenylamino)-methyl]-pyridin-2-yl}-amide (compound 432), and

2-[(Pyridin-4-ylmethyl)-amino]-N-(4-vinylbenzyloxy)benzamide (compound 433).

27. (Currently amended) A pharmaceutical composition comprising a compound according to ~~any one of claims 1-26~~ claim 1 or a pharmaceutically acceptable salt, hydrate, or solvate thereof together with a pharmaceutically acceptable vehicle or excipient.

28. (Original) A composition according to claim 27, wherein the amount of active component is in the range of from about 0.1 to about 99.9% by weight of the composition.

29. (Currently amended) A composition according to claims 27 ~~or 28~~ which is in unit dosage form comprising the active component in an amount in the range of from 0.01 to 10000 mg.

30. (Currently amended) A composition according to ~~any one of claims 27-29~~ claim 27 further comprising another therapeutically active compound selected from the group consisting of chemotherapeutic agents, cytotoxic agents and anticancer agents.


31. (Currently amended) A composition according to ~~any one of claims 27-30~~ claim 27 further comprising another therapeutically active compound selected from the group consisting of S-triazine derivatives such as altretamine; enzymes such as asparaginase; antibiotic agents such as bleomycin, dactinomycin, daunorubicin, doxorubicin, idarubicin, mitomycin, epirubicin and plicamycin; alkylating agents such as busulfan, carboplatin, carmustine, chlorambucil, cisplatin, cyclophosphamide, dacarbazine, ifosfamide, lomustine, mechlorethamine, melphalan, procarbazine and thiotepa; antimetabolites such as cladribine, cytarabine, floxuridine, fludarabine, fluorouracil, hydroxyurea, mercaptopurine, methotrexate, gemcitabin, pentostatin and thioguanine; antimitotic agents such as etoposide, paclitaxel, teniposide, vinblastine, vinorelbin and vincristine; hormonal agents, e.g. aromatase inhibitors such as aminoglutethimide, corticosteroids, such as dexamethasone and prednisone, and luteinizing hormone releasing hormone (LH-RH); antiestrogens such as tamoxifen, formestan and letrozol; antiandrogens such as flutamide; biological response modifiers, e.g. lymphokines such as aldesleukin and other interleukines; interferon such as interferon- α ; growth factors such as erythropoietin, filgrastim and sagramostim; differentiating agents such as vitamin D derivatives and all-trans retinoic acid; immunoregulators such as levamisole; and monoclonal antibodies, tumour necrosis factor α and angiogenesis inhibitors.

32. (Currently amended) A compound according to ~~any one of claims 1-26~~ claim 1 for use in therapy.

33. (Previously presented) A composition according to claim 30 comprising said other therapeutically active compound in a separate container intended for concomitant or sequential administration.

34. (Currently amended) A compound according to ~~any one of claims 1-26~~ claim 1 for use as antineoplastic agent.

35. (Previously presented) The use of a compound of general formula I



[I]

wherein R₁ represents hydrogen or a straight, branched and/or cyclic, saturated or unsaturated hydrocarbon radical,

optionally substituted with one or more substituents selected from the group consisting of halogen, hydroxyl, amino, nitro, and cyano;

D represents nitrogen or C-R₂;

E represents nitrogen or C-R₃;

F represents nitrogen or C-R₄;

G represents nitrogen or C-R₅;

R₂, R₃, R₄, and R₅ are the same or different and individually represent hydrogen, halogen, hydroxyl, amino, nitro, carboxy, cyano, alkoxy, alkylthio, alkoxycarbonyl, alkylcarbonyloxy, alkoxycarbonyloxy, alkylcarbonyl, alkoxysulfonyloxy, aminosulfonyl, alkylsulfonylamino, formyl, aminocarbonyl, alkylcarbonylamino, or a straight or branched, saturated or unsaturated hydrocarbon radical, optionally substituted with one or more substituents independently selected from the group consisting of halogen, hydroxyl, amino, nitro, carboxy, cyano, alkoxy, alkylthio, alkoxycarbonyl, alkylcarbonyloxy, alkoxycarbonyloxy, alkylcarbonyl, alkoxysulfonyloxy, aminosulfonyl, alkylsulfonylamino, formyl, aminocarbonyl, and alkylcarbonylamino, or R₂ and R₃, or R₃ and R₄, or R₄ and R₅ together with the C atoms to which they are attached form a 5- or 6-membered carbocyclic or heterocyclic ring;

W represents oxygen, sulphur, two hydrogen atoms, $=CH_2$, $=N-O-R_6$ or the group $=N(R_6)$;

R_6 represents hydrogen, cycloalkyl, heterocycloalkyl, heterocycloalkenyl, cycloalkenyl, aryl, heteroaryl, alkenyl, alkynyl, or alkyl;

X represents a radical of the formula $-(CH_2)_i-NH-C(O)-(CH_2)_j-$, $-(CH_2)_k-C(O)-(CH_2)_m-$, $-(CH_2)_n-$, $-(CH_2)_p-CH=CH-(CH_2)_q-$, $-(CH_2)_r-O-(CH_2)_s-$, $-(CH_2)_t-NH-(CH_2)_u-$, $-(CH_2)_w-C(O)-NH-(CH_2)_z-$ where i, j, k, m, p, q, r, s, t, u, w, and z are integers from 0-6, and n is an integer from 1-6, wherein said radicals are optionally substituted by one or more substituents independently selected from the group consisting of R_7 ;

Y represents a radical of the formula $-(CH_2)_i-NH-C(O)-(CH_2)_j-$, $-(CH_2)_k-C(O)-(CH_2)_m-$, $-(CH_2)_n-$, $-(CH_2)_p-CH=CH-(CH_2)_q-$, $-(CH_2)_r-O-(CH_2)_s-$, $-(CH_2)_t-NH-(CH_2)_u-$, $-(CH_2)_w-C(O)-NH-(CH_2)_z-$ where i, j, k, m, n, p, q, r, s, t, u, w, and z are integers from 0-6, wherein said radicals are optionally substituted by one or more substituents independently selected from the group consisting of R_7 ;

R_7 represents hydrogen, oxo, thioxo, halogen, hydroxyl, amino, imino, nitro, carboxy, carbamoyl, cyano, cycloalkyl, alkyl, aryl, heteroaryl, heterocycloalkyl, heterocycloalkenyl, heterocycloalkyl-heteroaryl, heterocycloalkylcarbonylamino, cycloalkenyl, alkenyl, alkynyl, alkoxy, alkoxyimino, alkylthio, alkoxy carbonyl, alkylcarbonyloxy, alkenylcarbonyloxy, alkoxy carbonyloxy, alkylureido, alkylthioureido, alkylcarbonyl, alkoxy sulfonyloxy,

aminosulfonyl, alkylsulfonylamino, alkylsulfonyl, arylsulfonyl, formyl, aminocarbonyl, and alkylcarbonylamino, wherein said amino, imino, cycloalkyl, alkyl, aryl, heteroaryl, heterocycloalkyl, heterocycloalkenyl, heterocycloalkyl-heteroaryl, heterocycloalkylcarbonylamino, cycloalkenyl, alkenyl, alkynyl, alkoxy, alkoxyimino, alkylthio, alkoxycarbonyl, alkylcarbonyloxy, alkenylcarbonyloxy, alkoxycarbonyloxy, alkylureido, alkylthioureido, alkylcarbonyl, alkoxysulfonyloxy, aminosulfonyl, alkylsulfonylamino, alkylsulfonyl, arylsulfonyl, aminocarbonyl, and alkylcarbonylamino are optionally substituted by one or more substituents independently selected from the group consisting of hydrogen, halogen, oxo, thioxo, hydroxyl, amino, imino, nitro, carboxy, cyano, alkoxy, alkylthio, alkoxycarbonyl, alkylcarbonyloxy, alkoxycarbonyloxy, alkylcarbonyl, alkoxysulfonyloxy, aminosulfonyl, alkylsulfonylamino, alkylsulfonyl, arylsulfonyl, aminocarbonyloxy, heteroarylsulfonylamino, formyl, aminocarbonyl, trifluoromethyl, alkylcarbonylamino, heterocycloalkyl, heterocycloalkenyl, aryl, alkylureido, alkylthioureido, heteroaryl, cycloalkyl, alkyl, cycloalkenyl, alkenyl, alkynyl, and alkylaminocarbonyl;

B represents aryl, heteroaryl, heterocycloalkyl, heterocycloalkenyl, cycloalkyl, or cycloalkenyl, all of which are optionally substituted with one or more substituents independently selected from the group consisting of R₈;

R₈ represents hydrogen, halogen, hydroxyl, amino, imino, oxo, thioxo, nitro, carboxy, cyano, alkoxy, phenoxy, alkylthio, alkoxycarbonyl, alkoxycarbamoyl, alkylcarbonyloxy, alkoxycarbonyloxy, alkylcarbonyl, alkoxysulfonyloxy, aminosulfonyl, arylsulfonyl,

alkylsulfonylamino, formyl, aminocarbonyl, alkylureido, alkylthioureido, aminocarbonyloxy, alkylcarbonylamino, heterocycloalkylcarbonylamino, heterocycloalkyl, heterocycloalkenyl, aryl, heteroaryl, alkylaminocarbonyl, and a straight or branched, saturated or unsaturated hydrocarbon radical, wherein said amino, alkoxy, phenoxy, alkylthio, alkoxycarbonyl, alkoxycarbamoyl, alkylcarbonyloxy, alkoxycarbonyloxy, alkylcarbonyl, alkoxysulfonyloxy, aminosulfonyl, arylsulfonyl, alkylsulfonylamino, aminocarbonyl, alkylureido, alkylthioureido, aminocarbonyloxy, alkylcarbonylamino, heterocycloalkylcarbonylamino, heterocycloalkyl, heterocycloalkenyl, aryl, heteroaryl, alkylaminocarbonyl, and straight or branched, saturated or unsaturated hydrocarbon radical are optionally substituted with one or more substituents independently selected from the group consisting of R₇;

A represents a straight, branched and/or cyclic, saturated or unsaturated hydrocarbon radical, a heterocycloalkyl, a heterocycloalkenyl, or a heteroaryl, all of which are optionally substituted with one or more substituents independently selected from the group consisting of R₉;

R₉ represents hydrogen, oxo, halogen, trifluoromethyl, hydroxyl, amino, nitro, carboxy, cyano, alkoxy, alkylthio, alkoxycarbonyl, alkylcarbonyloxy, alkoxycarbonyloxy, alkylureido, alkylthioureido, alkylcarbonyl, alkoxysulfonyloxy, aminosulfonyl, arylsulfonyl, alkylsulfonylamino, arylsulfonylamino, heteroarylsulfonylamino, alkylsulfonyl, formyl, aminocarbonyl, alkylcarbonylamino, alkylaminocarbonyl, aminocarbonyloxy, heterocycloalkyl, heterocycloalkenyl, heteroaryl and a straight or branched, saturated or unsaturated hydrocarbon radical, wherein said amino, alkoxy, alkylthio, alkoxycarbonyl, alkylcarbonyloxy,

alkoxycarbonyloxy, alkylureido, alkylthioureido, alkylcarbonyl, alkoxysulfonyloxy, aminosulfonyl, arylsulfonyl, alkylsulfonylamino, arylsulfonylamino, heteroarylsulfonylamino, alkylsulfonyl, aminocarbonyl, alkylcarbonylamino, alkylaminocarbonyl, aminocarbonyloxy, heterocycloalkyl, heterocycloalkenyl, heteroaryl and straight or branched, saturated or unsaturated hydrocarbon radical are optionally substituted by one or more substituents independently selected from the group consisting of R₇;

and pharmaceutically acceptable salts, hydrates, or solvates thereof;

provided that the compound is not

2-[(2-chloro-4-iodophenyl)amino]-4-fluoro-N-(2-hydroxyethoxy)-N-methyl-benzamide, 2-[(2,6-dichloro-3-methylphenyl)amino]-N-methoxy)-N-methyl-benzamide, N-methoxy-2-[3-((E)-2-pyridin-2-yl-vinyl)-1H-indazol-6-ylamino]-benzamide, N-isopropoxy-2-[3-((E)-2-pyridin-2-yl-vinyl)-1H-indazol-6-ylamino]-benzamide, or N-allyloxy-2-[3-((E)-2-pyridin-2-yl-vinyl)-1H-indazol-6-ylamino]-benzamide;

for the manufacture of a medicament for the prophylaxis, treatment or amelioration of a disease or condition associated with deregulated angiogenesis, such as cancer.


36. (Currently amended) The use of a compound according to ~~any one of claims 1-26~~ claim 1 for the manufacture of a medicament for the prophylaxis, treatment or amelioration of a disease or condition associated with deregulated angiogenesis, such as cancer.

37. (Currently amended) The use according to claim 35 ~~or 36~~ wherein the medicament further comprises another therapeutically active compound selected from the group consisting of chemotherapeutic agents, cytotoxic agents, and anticancer agents.

38. (Previously presented) The use according to claim 37 wherein the other therapeutically active compound is selected from the group consisting of S-triazine derivatives such as altretamine; enzymes such as asparaginase; antibiotic agents such as bleomycin, dactinomycin, daunorubicin, doxorubicin, idarubicin, mitomycin, epirubicin and plicamycin; alkylating agents such as busulfan, carboplatin, carmustine, chlorambucil, cisplatin, cyclophosphamide, dacarbazine, ifosfamide, lomustine, mechlorethamine, melphalan, procarbazine and thiotepa; antimetabolites such as cladribine, cytarabine, floxuridine, fludarabine, fluorouracil, hydroxyurea, mercaptopurine, methotrexate, gemcitabin, pentostatin and thioguanine; antimitotic agents such as etoposide, paclitaxel, teniposide, vinblastine, vinorelbin and vincristine; hormonal agents, e.g. aromatase inhibitors such as aminoglutethimide, corticosteroids, such as dexamethasone and prednisone, and luteinizing hormone releasing hormone (LH-RH); antiestrogens such as tamoxifen, formestan and letrozol; antiandrogens such as flutamide; biological response modifiers, e.g. lymphokines such as aldesleukin and other interleukines; interferon such as interferon- α ; growth factors such as erythropoietin, filgrastim and sagramostim; differentiating agents such as vitamin D derivatives and all-trans retinoic acid; immunoregulators such as levamisole; and monoclonal antibodies, tumour necrosis factor α and angiogenesis inhibitors.

39. (Previously presented) The use according to claim 37 wherein the other therapeutically active compound is provided in a separate container and intended for concomitant or sequential administration.

40. (Previously presented) A method of preventing, treating or ameliorating a disease or condition associated with deregulated angiogenesis, such as cancer, the method comprising administering to a patient in need thereof an effective amount of a compound general formula I



[I]

wherein R₁ represents hydrogen or a straight, branched and/or cyclic, saturated or unsaturated hydrocarbon radical,

optionally substituted with one or more substituents selected from the group consisting of halogen, hydroxyl, amino, nitro, and cyano;

D represents nitrogen or C-R₂;

E represents nitrogen or C-R₃;

F represents nitrogen or C-R₄;

G represents nitrogen or C-R₅;

R₂, R₃, R₄, and R₅ are the same or different and individually represent hydrogen, halogen, hydroxyl, amino, nitro, carboxy, cyano, alkoxy, alkylthio, alkoxycarbonyl, alkylcarbonyloxy, alkoxycarbonyloxy, alkylcarbonyl, alkoxysulfonyloxy, aminosulfonyl, alkylsulfonylamino, formyl, aminocarbonyl, alkylcarbonylamino, or a straight or branched, saturated or unsaturated hydrocarbon radical, optionally substituted with one or more substituents independently selected from the group consisting of halogen, hydroxyl, amino, nitro, carboxy, cyano, alkoxy, alkylthio, alkoxycarbonyl, alkylcarbonyloxy, alkoxycarbonyloxy, alkylcarbonyl, alkoxysulfonyloxy, aminosulfonyl, alkylsulfonylamino, formyl, aminocarbonyl, and alkylcarbonylamino, or R₂ and R₃, or R₃ and R₄, or R₄ and R₅ together with the C atoms to which they are attached form a 5- or 6-membered carbocyclic or heterocyclic ring;

W represents oxygen, sulphur, two hydrogen atoms, =CH₂, =N-O-R₆ or the group =N(R₆);

R₆ represents hydrogen, cycloalkyl, heterocycloalkyl, heterocycloalkenyl, cycloalkenyl, aryl, heteroaryl, alkenyl, alkynyl, or alkyl;

X represents a radical of the formula $-(CH_2)_i-NH-C(O)-(CH_2)_j-$, $-(CH_2)_k-C(O)-(CH_2)_m-$, $-(CH_2)_n-$, $-(CH_2)_p-CH=CH-(CH_2)_q-$, $-(CH_2)_r-O-(CH_2)_s-$, $-(CH_2)_t-NH-(CH_2)_u-$, $-(CH_2)_w-C(O)-NH-(CH_2)_z-$ where i, j, k, m, p, q, r, s, t, u, w, and z are integers from 0-6, and n is an integer from 1-6, wherein said radicals are optionally substituted by one or more substituents independently selected from the group consisting of R_7 ;

Y represents a radical of the formula $-(CH_2)_i-NH-C(O)-(CH_2)_j-$, $-(CH_2)_k-C(O)-(CH_2)_m-$, $-(CH_2)_n-$, $-(CH_2)_p-CH=CH-(CH_2)_q-$, $-(CH_2)_r-O-(CH_2)_s-$, $-(CH_2)_t-NH-(CH_2)_u-$, $-(CH_2)_w-C(O)-NH-(CH_2)_z-$ where i, j, k, m, n, p, q, r, s, t, u, w, and z are integers from 0-6, wherein said radicals are optionally substituted by one or more substituents independently selected from the group consisting of R_7 ;

R_7 represents hydrogen, oxo, thioxo, halogen, hydroxyl, amino, imino, nitro, carboxy, carbamoyl, cyano, cycloalkyl, alkyl, aryl, heteroaryl, heterocycloalkyl, heterocycloalkenyl, heterocycloalkyl-heteroaryl, heterocycloalkylcarbonylamino, cycloalkenyl, alkenyl, alkynyl, alkoxy, alkoxyimino, alkylthio, alkoxycarbonyl, alkylcarbonyloxy, alkenylcarbonyloxy, alkoxycarbonyloxy, alkylureido, alkylthioureido, alkylcarbonyl, alkoxysulfonyloxy, aminosulfonyl, alkylsulfonylamino, alkylsulfonyl, arylsulfonyl, formyl, aminocarbonyl, and alkylcarbonylamino, wherein said amino, imino, cycloalkyl, alkyl, aryl, heteroaryl, heterocycloalkyl, heterocycloalkenyl, heterocycloalkyl-heteroaryl, heterocycloalkylcarbonylamino, cycloalkenyl, alkenyl, alkynyl, alkoxy, alkoxyimino, alkylthio, alkoxycarbonyl, alkylcarbonyloxy, alkenylcarbonyloxy, alkoxycarbonyloxy, alkylureido,

alkylthioureido, alkylcarbonyl, alkoxy sulfonyloxy, aminosulfonyl, alkylsulfonylamino, alkylsulfonyl, arylsulfonyl, aminocarbonyl, and alkylcarbonylamino are optionally substituted by one or more substituents independently selected from the group consisting of hydrogen, halogen, oxo, thioxo, hydroxyl, amino, imino, nitro, carboxy, cyano, alkoxy, alkylthio, alkoxy carbonyl, alkylcarbonyloxy, alkoxy carbonyloxy, alkylcarbonyl, alkoxy sulfonyloxy, aminosulfonyl, alkylsulfonylamino, alkylsulfonyl, arylsulfonyl, aminocarbonyloxy, heteroaryl sulfonylamino, formyl, aminocarbonyl, trifluoromethyl, alkylcarbonylamino, heterocycloalkyl, heterocycloalkenyl, aryl, alkylureido, alkylthioureido, heteroaryl, cycloalkyl, alkyl, cycloalkenyl, alkenyl, alkynyl, and alkylaminocarbonyl;

B represents aryl, heteroaryl, heterocycloalkyl, heterocycloalkenyl, cycloalkyl, or cycloalkenyl, all of which are optionally substituted with one or more substituents independently selected from the group consisting of R₈;

R₈ represents hydrogen, halogen, hydroxyl, amino, imino, oxo, thioxo, nitro, carboxy, cyano, alkoxy, phenoxy, alkylthio, alkoxy carbonyl, alkoxy carbamoyl, alkylcarbonyloxy, alkoxy carbonyloxy, alkylcarbonyl, alkoxy sulfonyloxy, aminosulfonyl, arylsulfonyl, alkylsulfonylamino, formyl, aminocarbonyl, alkylureido, alkylthioureido, aminocarbonyloxy, alkylcarbonylamino, heterocycloalkyl carbonylamino, heterocycloalkyl, heterocycloalkenyl, aryl, heteroaryl, alkylaminocarbonyl, and a straight or branched, saturated or unsaturated hydrocarbon radical, wherein said amino, alkoxy, phenoxy, alkylthio, alkoxy carbonyl, alkoxy carbamoyl, alkylcarbonyloxy, alkoxy carbonyloxy, alkylcarbonyl, alkoxy sulfonyloxy, aminosulfonyl,

arylsulfonyl, alkylsulfonylamino, aminocarbonyl, alkylureido, alkylthioureido, aminocarbonyloxy, alkylcarbonylamino, heterocycloalkylcarbonylamino, heterocycloalkyl, heterocycloalkenyl, aryl, heteroaryl, alkylaminocarbonyl, and straight or branched, saturated or unsaturated hydrocarbon radical are optionally substituted with one or more substituents independently selected from the group consisting of R₇;

A represents a straight, branched and/or cyclic, saturated or unsaturated hydrocarbon radical, a heterocycloalkyl, a heterocycloalkenyl, or a heteroaryl, all of which are optionally substituted with one or more substituents independently selected from the group consisting of R₉;

R₉ represents hydrogen, oxo, halogen, trifluoromethyl, hydroxyl, amino, nitro, carboxy, cyano, alkoxy, alkylthio, alkoxycarbonyl, alkylcarbonyloxy, alkoxycarbonyloxy, alkylureido, alkylthioureido, alkylcarbonyl, alkoxysulfonyloxy, aminosulfonyl, arylsulfonyl, alkylsulfonylamino, arylsulfonylamino, heteroarylsulfonylamino, alkylsulfonyl, formyl, aminocarbonyl, alkylcarbonylamino, alkylaminocarbonyl, aminocarbonyloxy, heterocycloalkyl, heterocycloalkenyl, heteroaryl and a straight or branched, saturated or unsaturated hydrocarbon radical, wherein said amino, alkoxy, alkylthio, alkoxycarbonyl, alkylcarbonyloxy, alkoxycarbonyloxy, alkylureido, alkylthioureido, alkylcarbonyl, alkoxysulfonyloxy, aminosulfonyl, arylsulfonyl, alkylsulfonylamino, arylsulfonylamino, heteroarylsulfonylamino, alkylsulfonyl, aminocarbonyl, alkylcarbonylamino, alkylaminocarbonyl, aminocarbonyloxy, heterocycloalkyl, heterocycloalkenyl, heteroaryl and straight or branched, saturated or

unsaturated hydrocarbon radical are optionally substituted by one or more substituents independently selected from the group consisting of R₇;

and pharmaceutically acceptable salts, hydrates, or solvates thereof;

provided that the compound is not

2-[(2-chloro-4-iodophenyl)amino]-4-fluoro-N-(2-hydroxyethoxy)-N-methyl-benzamide,

2-[(2,6-dichloro-3-methylphenyl)amino]-N-methoxy-N-methyl-benzamide,

N-methoxy-2-[3-((E)-2-pyridin-2-yl-vinyl)-1H-indazol-6-ylamino]-benzamide,

N-isopropoxy-2-[3-((E)-2-pyridin-2-yl-vinyl)-1H-indazol-6-ylamino]-benzamide, or

N-allyloxy-2-[3-((E)-2-pyridin-2-yl-vinyl)-1H-indazol-6-ylamino]-benzamide.

41. (Currently amended) A method of preventing, treating or ameliorating a disease or condition associated with deregulated angiogenesis, such as cancer, the method comprising administering to a patient in need thereof an effective amount of a compound according to ~~any one of claims 1-26~~ claim 1.

42. (Currently amended) A method according to claim 40 ~~or 41~~ further comprising concomitant or sequential administration of one or more other therapeutically active compounds selected from the group consisting of chemotherapeutic agents, cytotoxic agents and anticancer agents.

43. (Previously presented) A method according to claim 42 wherein said other therapeutically active compounds are selected from the group consisting of S-triazine derivatives such as altretamine; enzymes such as asparaginase; antibiotic agents such as bleomycin, dactinomycin, daunorubicin, doxorubicin, idarubicin, mitomycin, epirubicin and plicamycin; alkylating agents such as busulfan, carboplatin, carmustine, chlorambucil, cisplatin, cyclophosphamide, dacarbazine, ifosfamide, lomustine, mechlorethamine, melphalan, procarbazine and thiotepa; antimetabolites such as cladribine, cytarabine, floxuridine, fludarabine, fluorouracil, hydroxyurea, mercaptopurine, methotrexate, gemcitabin, pentostatin and thioguanine; antimetotic agents such as etoposide, paclitaxel, teniposide, vinblastine, vinorelbin and vincristine; hormonal agents, e.g. aromatase inhibitors such as aminoglutethimide, corticosteroids, such as dexamethasone and prednisone, and luteinizing hormone releasing hormone (LH-RH); antiestrogens such as tamoxifen, formestan and letrozol; antiandrogens such as flutamide; biological response modifiers, e.g. lymphokines such as aldesleukin and other interleukines; interferon such as interferon- α ; growth factors such as erythropoietin, filgrastim and sagramostim; differentiating agents such as vitamin D derivatives and all-trans retinoic acid; immunoregulators such as levamisole; and monoclonal antibodies, tumour necrosis factor α and angiogenesis inhibitors.

44. (Currently amended) A method for treating or ameliorating cancer comprising administering an effective amount of a compound according to ~~any one of claims 1-26~~ claim 1 optionally in conjunction with radiation therapy.

45. (Currently amended) A method of reducing the metastatic potential of a tumour, the method comprising administering to a patient in need thereof an effective amount of a compound according to ~~any one of claims 1-26~~ claim 1.

46. (Currently amended) A method of treating or ameliorating tumours, the method comprising administering to a patient in need thereof an effective amount of a compound according to ~~any one of claims 1-26~~ claim 1.

47. (Currently amended) A method of treating or ameliorating a condition or disease characterised by abnormal angiogenesis or vascular malfunction, rosacea, atherosclerosis, haemangioma, haemangioendothelioma, warts, pyogenic granulomas, hair growth, scar keloids, allergic oedema, dysfunctional uterine bleeding, follicular cysts, ovarian hyperstimulation, endometriosis, obesity, arthritis, rheumatoid arthritis, synovitis, bone and cartilage destruction, osteomyelitis, pannus growth, osteophyte formation, inflammatory and infectious diseases (hepatitis, pneumonia, glomerulonephritis), asthma, nasal polyps, transplantation, liver regeneration, retinopathy, diabetic retinopathy, neovascular glaucoma, endometriosis, psoriasis, lymphoproliferative disorders, thyroiditis, thyroid enlargement, obstructive lung disease, or cerebral ischaemia reperfusion injury, Alzheimer's disease, and eye diseases such as acute macular degeneration, age-related macular degeneration, choroidal neovascularisation, retinitis, cytomegalovirus retinitis, macular edema and ischemic retinopathy, the method comprising administering to a patient in need thereof an effective amount of a compound according to ~~any one of claims 1-26~~ claim 1.

48. (Previously presented) A compound selected from the group consisting of

O-(3,4,5-Trimethoxy-benzyl)-hydroxylamine (preparation 8),
O-(4-Chloro-benzyl)-hydroxylamine (preparation 9),
4-Aminooxymethyl-benzonitrile (preparation 10),
O-Quinolin-2-ylmethyl-hydroxylamine (preparation 11),
O-(2-Methyl-thiazol-4-ylmethyl)-hydroxylamine (preparation 12),
O-(4-Fluoro-2,6-dimethyl-benzyl)-hydroxylamine (preparation 13),
O-(4-Fluoro-2-methoxy-benzyl)-hydroxylamine (preparation 14),
O-(2,3-Difluoro-4-methyl-benzyl)-hydroxylamine (preparation 15),
O-(3-Fluoro-4-methyl-benzyl)-hydroxylamine (preparation 16),
O-(5-Fluoro-2-methyl-benzyl)-hydroxylamine (preparation 17),
O-(2,3,5,6-Tetrafluoro-4-methoxy-benzyl)-hydroxylamine (preparation 18),
O-(4-Bromo-benzyl)-hydroxylamine (preparation 19),
O-(2-Iodo-benzyl)-hydroxylamine (preparation 20),
O-(3-Iodo-benzyl)-hydroxylamine (preparation 21),
(2-Aminooxymethyl-phenyl)-acetonitrile (preparation 22),
O-(2-Benzenesulfonylmethyl-benzyl)-hydroxylamine (preparation 23),
(4-Aminooxymethyl-phenyl)-methanol (preparation 24),
O-(4-Fluoro-2-trifluoromethyl-benzyl)-hydroxylamine (preparation 25),
O-(2-Fluoro-6-trifluoromethyl-benzyl)-hydroxylamine (preparation 26),
O-(4-Fluoro-3-trifluoromethyl-benzyl)-hydroxylamine (preparation 27),

O-(4-Methyl-3-trifluoromethyl-benzyl)-hydroxylamine (preparation 28),
O-(4-Methoxy-3-trifluoromethyl-benzyl)-hydroxylamine (preparation 29),
O-(2-Methoxy-benzyl)-hydroxylamine (preparation 30),
O-(4-Pentyloxy-benzyl)-hydroxylamine (preparation 31),
O-(2-Trifluoromethoxy-benzyl)-hydroxylamine (preparation 32),
O-(3-Trifluoromethoxy-benzyl)-hydroxylamine (preparation 33),
O-(4-Trifluoromethoxy-benzyl)-hydroxylamine (preparation 34),
O-(2-Difluoromethoxy-benzyl)-hydroxylamine (preparation 35),
O-(2-Trifluoromethylsulfanyl-benzyl)-hydroxylamine (preparation 36),
O-(6-Chloro-benzo[1,3]dioxol-5-ylmethyl)-hydroxylamine (preparation 37),
O-Benzo[1,3]dioxol-5-ylmethyl-hydroxylamine (preparation 38),
O-Indan-5-ylmethyl-hydroxylamine (preparation 39),
3-Aminooxymethyl-benzonitrile (preparation 40),
2-Aminooxymethyl-benzonitrile (preparation 41),
4-Aminooxymethyl-3-fluoro-benzonitrile (preparation 42),
4-Aminooxymethyl-2-bromo-benzonitrile (preparation 43),
4-Aminooxymethyl-3-chloro-benzonitrile (preparation 44),
4-Aminooxymethyl-3-methoxy-benzonitrile (preparation 45),
4-Aminooxymethyl-3-iodo-benzonitrile (preparation 46),
3-Aminooxymethyl-4-bromo-benzonitrile (preparation 47),
4-Aminooxymethyl-naphthalene-1-carbonitrile (preparation 48),
O-(4-Morpholin-4-yl-benzyl)-hydroxylamine (preparation 49),

O-(2-Morpholin-4-yl-benzyl)-hydroxylamine (preparation 50),
O-(2-Amino-benzyl)-hydroxylamine (preparation 51),
3-Aminooxymethyl-benzoic acid methyl ester (preparation 52),
O-Naphthalen-1-ylmethyl-hydroxylamine (preparation 53),
O-(1-Phenyl-ethyl)-hydroxylamine (preparation 54),
O-[1-(2-Trifluoromethyl-phenyl)-ethyl]-hydroxylamine (preparation 55),
O-Pyridin-2-ylmethyl-hydroxylamine (preparation 56),
O-(2,6-Dichloro-pyridin-4-ylmethyl)-hydroxylamine (preparation 57),
O-Thiazol-4-ylmethyl-hydroxylamine (preparation 58),
O-(2-Chloro-thiazol-5-ylmethyl)-hydroxylamine (preparation 59),
O-(2-Phenyl-thiazol-4-ylmethyl)-hydroxylamine (preparation 60),
O-(5-Methyl-isoxazol-3-ylmethyl)-hydroxylamine (preparation 61),
O-(3,5-Dimethyl-isoxazol-4-ylmethyl)-hydroxylamine (preparation 62),
O-(3-Propyl-isoxazol-5-ylmethyl)-hydroxylamine (preparation 63),
O-(5-Chloro-thiophen-2-ylmethyl)-hydroxylamine (preparation 64),
4-(2-Aminooxy-ethyl)-benzonitrile (preparation 65),
O-Cyclopentylmethyl-hydroxylamine (preparation 66),
O-Cyclopropylmethyl-hydroxylamine (preparation 67),
O-(2,2-Dimethyl-propyl)-hydroxylamine (preparation 68),
O-(2-Ethyl-butyl)-hydroxylamine (preparation 69),
O-Isobutyl-hydroxylamine (preparation 70),
O-Cyclobutylmethyl-hydroxylamine (preparation 71),

O-Cyclohexylmethyl-hydroxylamine (preparation 72),
O-Cycloheptylmethyl-hydroxylamine (preparation 73),
O-Cyclooctylmethyl-hydroxylamine (preparation 74),
O-(1-Cyclopentyl-ethyl)-hydroxylamine (preparation 75),
O-Cyclohexyl-hydroxylamine (preparation 76),
O-(2-Cyclopropyl-ethyl)-hydroxylamine (preparation 77),
O-(2-Cyclopentyl-ethyl)-hydroxylamine (preparation 78),
O-(3-Cyclopentyl-propyl)-hydroxylamine (preparation 79),
O-Cyclohex-3-enylmethyl-hydroxylamine (preparation 80),
O-(6-Methyl-cyclohex-3-enylmethyl)-hydroxylamine (preparation 81),
(4-Aminooxymethyl-cyclohexyl)-methanol (preparation 82),
O-(3-Methoxy-cyclohexylmethyl)-hydroxylamine (preparation 83),
O-Adamantan-1-ylmethyl-hydroxylamine (preparation 84),
O-Bicyclo[2.2.1]hept-2-ylmethyl-hydroxylamine (preparation 85),
O-(6,6-Dimethyl-bicyclo[3.1.1]hept-2-ylmethyl)-hydroxylamine (preparation 86),
O-(Tetrahydro-furan-2-ylmethyl)-hydroxylamine (preparation 87),
O-(Tetrahydro-furan-3-ylmethyl)-hydroxylamine (preparation 88),
O-(3-Methyl-4,5-dihydro-isoxazol-5-ylmethyl)-hydroxylamine (preparation 89),
O-(3-Ethyl-4,5-dihydro-isoxazol-5-ylmethyl)-hydroxylamine (preparation 90),
O-(3-Butyl-4,5-dihydro-isoxazol-5-ylmethyl)-hydroxylamine (preparation 91),
O-(Tetrahydro-pyran-4-ylmethyl)-hydroxylamine (preparation 92),
O-(Tetrahydro-pyran-2-ylmethyl)-hydroxylamine (preparation 93),

O-(3-Iodo-4-methyl-benzyl)-hydroxylamine (preparation 94),
O-(4-Ethyl-benzyl)-hydroxylamine (preparation 95),
O-(4-Isopropyl-benzyl)-hydroxylamine (preparation 96),
O-(4-tert-Butyl-benzyl)-hydroxylamine (preparation 97),
O-(2-Ethyl-benzyl)-hydroxylamine (preparation 98),
O-(2-Non-1-enyl-benzyl)-hydroxylamine (preparation 99),
O-(4-Phenylaminomethyl-benzyl)-hydroxylamine (preparation 100),
O-(4-Diethylaminomethyl-benzyl)-hydroxylamine (preparation 101),
2-(2-Aminooxymethyl-phenyl)-acetamide (preparation 102),
4-Aminooxymethyl-3-(2-methoxy-ethoxy)-benzonitrile (preparation 103),
(4-Aminooxymethyl-3-methoxy-phenyl)-acetonitrile (preparation 104),
3-Aminooxymethyl-4-methoxy-benzonitrile (preparation 105),
(2-Aminooxymethyl-phenyl)-carbamic acid tert-butyl ester (preparation 106),
N-(2-Aminooxymethyl-phenyl)-acetamide (preparation 107),
N-(2-Aminooxymethyl-phenyl)-benzamide (preparation 108),
N-(2-Aminooxymethyl-phenyl)-methanesulfonamide (preparation 109),
N-(2-Aminooxymethyl-phenyl)-acetamide (preparation 110),
O-Biphenyl-4-ylmethyl-hydroxylamine (preparation 111),
O-Biphenyl-2-ylmethyl-hydroxylamine (preparation 112),
O-(3'-Methoxy-biphenyl-2-ylmethyl)-hydroxylamine (preparation 113),
O-(2'-Methoxy-biphenyl-2-ylmethyl)-hydroxylamine (preparation 114),
(2'-Aminooxymethyl-biphenyl-3-yl)-methanol (preparation 115),

O-(3-Phenoxy-benzyl)-hydroxylamine (preparation 116),
O-Anthracen-9-ylmethyl-hydroxylamine (preparation 117),
O-[4-(2-Methyl-thiazol-4-yl)-benzyl]-hydroxylamine (preparation 118),
N-(2-Aminooxy-2-phenyl-ethyl)-methanesulfonamide (preparation 119),
O-[2-(4-Trifluoromethyl-phenyl)-thiazol-4-ylmethyl]-hydroxylamine (preparation 120),
O-(3-p-Tolyl-isoxazol-5-ylmethyl)-hydroxylamine (preparation 121),
O-(3-Methyl-isoxazol-5-ylmethyl)-hydroxylamine (preparation 122),
O-(3-Ethyl-isoxazol-5-ylmethyl)-hydroxylamine (preparation 123),
O-(3-Butyl-isoxazol-5-ylmethyl)-hydroxylamine (preparation 124),
O-(3-Pentyl-isoxazol-5-ylmethyl)-hydroxylamine (preparation 125),
O-[5-(3-Trifluoromethyl-phenyl)-[1,2,4]oxadiazol-3-ylmethyl]-hydroxylamine (preparation 126),
O-(1-Benzyl-1H-[1,2,3]triazol-4-ylmethyl)-hydroxylamine (preparation 127),
O-(1-Cyclopentyl-1H-[1,2,3]triazol-4-ylmethyl)-hydroxylamine (preparation 128),
5-Aminooxymethyl-2,4-dihydro-[1,2,4]triazol-3-one (preparation 129),
O-(3-Phenoxy-propyl)-hydroxylamine (preparation 130),
O-(3-Benzyloxy-propyl)-hydroxylamine (preparation 131),
O-(2-Benzyloxy-ethyl)-hydroxylamine (preparation 132),
N-(3-Aminooxy-propyl)-benzamide (preparation 133),
N-(4-Aminooxy-butyl)-benzamide (preparation 134),
N-(2-Aminooxy-ethyl)-methanesulfonamide (preparation 135),
N-(4-Aminooxy-butyl)-benzenesulfonamide (preparation 136),

N-(3-Aminooxy-propyl)-benzenesulfonamide (preparation 137),
N-(2-Aminooxy-ethyl)-4-cyano-benzenesulfonamide (preparation 138),
N-(3-Aminooxy-propyl)-4-cyano-benzenesulfonamide (preparation 139),
N-(3-Aminooxy-propyl)-C-phenyl-methanesulfonamide (preparation 140),
N-(2-Aminooxy-ethyl)-C-phenyl-methanesulfonamide (preparation 141),
N-[5-(3-Aminooxy-propylsulfamoyl)-4-methyl-thiazol-2-yl]-acetamide (preparation 142),
N-[5-(2-Aminooxy-ethylsulfamoyl)-4-methyl-thiazol-2-yl]-acetamide (preparation 143),
O-(2-Benzylamino-ethyl)-hydroxylamine (preparation 144),
O-(4-Benzylamino-butyl)-hydroxylamine (preparation 145),
(2-Aminooxy-ethyl)-carbamic acid tert-butyl ester (preparation 146),
(3-Aminooxy-propyl)-carbamic acid tert-butyl ester (preparation 147),
(4-Aminooxy-butyl)-carbamic acid tert-butyl ester (preparation 148),
O-Isobutyl-hydroxylamine (preparation 149),
O-(2-Methyl-allyl)-hydroxylamine (preparation 150),
5-Aminooxy-pent-3-en-2-ol (preparation 151),
O-Cyclopentyl-hydroxylamine (preparation 152),
O-Cyclooctyl-hydroxylamine (preparation 153),
O-(2-Cyclohexyl-ethyl)-hydroxylamine (preparation 154),
O-(2-Methyl-cyclohexylmethyl)-hydroxylamine (preparation 155),
O-(4-Methyl-cyclohexylmethyl)-hydroxylamine (preparation 156),
O-(4-Methoxy-cyclohexylmethyl)-hydroxylamine (preparation 157),
O-(3-Methyl-bicyclo[2.2.1]hept-2-ylmethyl)-hydroxylamine (preparation 158),

O-Bicyclo[2.2.1]hept-5-en-2-ylmethyl-hydroxylamine (preparation 159),
(2-Aminooxymethyl-cyclohexyl)-benzyl-carbamic acid tert-butyl ester (preparation 160),
O-(3-Propyl-4,5-dihydro-isoxazol-5-ylmethyl)-hydroxylamine (preparation 161),
O-(3-Pentyl-4,5-dihydro-isoxazol-5-ylmethyl)-hydroxylamine (preparation 162),
5-Aminooxymethyl-pyrrolidin-2-one (preparation 163),
4-Aminooxymethyl-piperidine-1-carboxylic acid tert-butyl ester (preparation 164),
O-[3-(2,2-Dibromo-vinyl)-cyclopentylmethyl]-hydroxylamine (preparation 165),
(3-Aminooxymethyl-cyclopentyl)-methanol (preparation 166),
(2-Aminooxymethyl-cyclohexyl)-methanol (preparation 167),
O-[4-(4-Methyl-piperazin-1-ylmethyl)-benzyl]-hydroxylamine (preparation 168),
2-[4-(4-Aminooxymethyl-benzyl)-piperazin-1-yl]-ethanol (preparation 169), and
3-Aminooxymethyl-cyclopentanol (preparation 170);
and salts with hydrochloric acid, hydrobromic acid, or sulphuric acids thereof.

49. (Previously presented) A compound selected from the group consisting of

4-Fluoro-2-[(pyridin-4-ylmethyl)-amino]-benzoic acid (preparation 1A),
2-Fluoro-6-[(pyridin-4-ylmethyl)-amino]-benzoic acid (preparation 1B),
5-Fluoro-2-[(pyridin-4-ylmethyl)-amino]-benzoic acid (preparation 1C),
3-Methoxy-2-[(pyridin-4-ylmethyl)-amino]-benzoic acid (preparation 1D),
4,5-Dimethoxy-2-[(pyridin-4-ylmethyl)-amino]-benzoic acid (preparation 1E),
2-Methyl-6-[(pyridin-4-ylmethyl)-amino]-benzoic acid (preparation 1F),
5-Methyl-2-[(pyridin-4-ylmethyl)-amino]-benzoic acid (preparation 1G),

5-Bromo-2-[(pyridin-4-ylmethyl)-amino]-benzoic acid (preparation 1H),
3-[(Pyridin-4-ylmethyl)-amino]-isonicotinic acid (preparation 1I),
2-(4-Fluoro-benzylamino)-benzoic acid (preparation 1J),
2-(3-Cyano-4-fluoro-benzylamino)-benzoic acid (preparation 1K),
5-[(2-Carboxy-phenylamino)-methyl]-2-fluoro-benzoic acid methyl ester (preparation 1L),
2-(4-Methoxy-benzylamino)-benzoic acid (preparation 1M),
2-[(4-Methoxy-naphthalen-1-ylmethyl)-amino]-benzoic acid (preparation 1N),
2-[(2,3-Dihydro-benzofuran-5-ylmethyl)-amino]-benzoic acid (preparation 1O),
2-[(Benzofuran-5-ylmethyl)-amino]-benzoic acid (preparation 1P),
2-[(2-Oxo-2H-chromen-6-ylmethyl)-amino]-benzoic acid (preparation 1Q),
2-[(3,5-Dichloro-pyridin-4-ylmethyl)-amino]-benzoic acid (preparation 1R),
2-[(2-Bromo-pyridin-4-ylmethyl)-amino]-benzoic acid (preparation 1S),
2-[(2-Hydroxy-pyridin-4-ylmethyl)-amino]-benzoic acid (preparation 1T),
2-[(2-Morpholin-4-yl-pyridin-4-ylmethyl)-amino]-benzoic acid (preparation 1U),
2-[(Quinolin-4-ylmethyl)-amino]-benzoic acid (preparation 1V),
2-[(6-Methoxy-pyridin-3-ylmethyl)-amino]-benzoic acid (preparation 1W),
2-[(Thiazol-5-ylmethyl)-amino]-benzoic acid (preparation 1X),
2-[(Tetrahydro-pyran-4-ylmethyl)-amino]-benzoic acid (preparation 1Y),
2-[(pyridin-4-ylmethyl)-amino]-nicotinic acid (preparation 2),
2-(4-Fluoro-benzylamino)-nicotinic acid (preparation 3),
2-(4-Chloro-benzylamino)-nicotinic acid (preparation 3A),
2-(Isoquinolin-5-ylamino)-nicotinic acid (preparation 3B),

2-(4-Methoxy-benzylamino)-nicotinic acid (preparation 4),
2-[(Pyridin-4-ylmethyl-amino)-nicotinonitrile (preparation 5),
2-(4-Fluoro-benzylamino)-nicotinonitrile (preparation 6),
2-(4-Methoxy-benzylamino)-nicotinonitrile (preparation 7),
2-(isoquinolin-5-ylamino)-nicotinonitrile (preparation 3B),
1-Pyridin-4-ylmethyl-1H-benzo[d][1,3]oxazine-2,4-dione (preparation 7A),
1-(2-Amino-pyridin-4-ylmethyl)-1H-benzo[d][1,3]oxazine-2,4-dione (preparation 7B),
2-[(Pyridin-4-ylmethyl)-amino]-benzoic acid pentafluorophenyl ester (preparation 7C),
4-(2,4-Dioxo-4H-benzo[d][1,3]oxazin-1-ylmethyl)-benzonitrile (preparation 7D),
1-(5-Oxo-4,5-dihydro-1H-[1,2,4]triazol-3-ylmethyl)-1H-benzo[d][1,3]oxazine-2,4-dione
(preparation 7E),
1-(2-Imidazol-1-yl-ethyl)-1H-benzo[d][1,3]oxazine-2,4-dione (preparation 7F),
1-(1-Pyridin-4-yl-ethyl)-1H-benzo[d][1,3]oxazine-2,4-dione (preparation 7G),
1-(6-Oxo-1,6-dihydro-pyridin-3-ylmethyl)-1H-benzo[d][1,3]oxazine-2,4-dione (preparation 7H),
and
1-(6-Oxo-1,6-dihydro-pyridin-3-ylmethyl)-1H-pyrido[2,3-d][1,3]oxazine-2,4-dione (preparation 7I).